

Page Denied

SECRET

25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTERPage 1 of 1Attachment to Z-11789/82
NPIC/PEG (12/82)Copy 64**EXPLOSIVE DEVICE TEST**
SARY SHAGAN RESEARCH AND DEVELOPMENT COMPLEX, USSR

25X1

1. (SWN) **SIGNIFICANCE:** AN EXPLOSIVE DEVICE TEST HAS OCCURRED AT THIS COMPLEX [REDACTED]

25X1

2. (SWN) **REMARKS:** AN EXPLOSIVE DEVICE TEST HAS OCCURRED AT SARY SHAGAN RESEARCH AND DEVELOPMENT COMPLEX, FACILITY B. A LARGE, BILATERAL BLAST MARK EXTENDS APPROXIMATELY 34 METERS ON THE NORTH SIDE AND 42 METERS ON THE SOUTH SIDE OF THE NEW WEST TEST PAD. THE CRANE AND ALL OTHER SUPPORT EQUIPMENT PRESENT [REDACTED] HAVE BEEN REMOVED FROM THE TEST AREA AND ARE NEAR THE APEX BUILDING. PREPARATIONS FOR THIS TEST. THE SIXTH IN 1982, HAVE BEEN IN PROGRESS SINCE AT LEAST [REDACTED] THIS TESTING PROBABLY REPRESENTS SUBSYSTEM DEVELOPMENT ASSOCIATED WITH A DIRECTED ENERGY WEAPONS PROGRAM THOUGHT TO BE IN PROGRESS AT THIS COMPLEX.

25X1

25X1

25X1

3. [REDACTED] COORDINATES 45-52-00N 073-31-00E

25X1

COMMENTS AND QUERIES REGARDING THIS BRIEFING BOARD MAY BE DIRECTED [REDACTED]

25X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25X1

WARNING NOTICE
Intelligence Sources
and Methods Involved

SECRET

25X1