

Corrosion of Iron Resulting from Temperature
Differences Between Electrolytes, by V.

Bruckheimer, J. P. and.

GERMAN, for, Metallkunde und Korrosion, No 2,
1954, pp 43-48.

(ZNS 1352)

CNGB 3390

313,330

Sci - Materials
Nov 66

The Anodic ~~Behaviour~~ Behaviour of Al and Al-Mg Alloys in
~~Sulphuric~~ Sulphuric Acid and ~~salt~~ Sodium-Sulphate Solu-
tions, by Willi Machu, Kamal Hussein, 23 pp.

GESMAN, per, Metallstoffe und Korrosion, Vol 5, No 2,
Feb 1954, pp 49-54.

S.L.A. Tr 1381/1956

Sci - Chem
Feb 57 CTS/dax

43,559

Some Remarks on Cathodic Protection Against
Corrosion, by Wolfgang Thury, 6 pp. UNCLASSIFIED

GERMAN, per, Werkstoffe und Korrosion, No 3,
1954, pp 84-87.

Navy Tr 1157/ONI 1300

Scientific - Electronics, M/M
Apr 55 CTS

23,354

Double-Layer Build-Up on Iron and Lead Electrodes
in the Ground, by T. Markovic, P. Kirkov.
GERMAN, per, Werkstoffe und Korrosion, Vol V,
No 7, 1954, pp 241-243.
CEGB 2860

Sci - Engr
Apr 64

255,141

The Effect of Soil Moisture on the Rate of Corrosion of
Iron and Lead in the Soil, by T. Markovic.
GERMAN, per, Werkstoffe und Korrosion, Vol V, No 7,
1954, pp 244-246.
CEGB 2861

Sci - Engr
Apr 64

255,140

Heat-Resistant Sinter Materials, by F. Benesovsky.

GERMAN, per Werkstoffe und Korrosion, No 8 '9.
Aug/Sep 1954, 00 288-290.

NACA N 39572

Scientific - Minerals/Metals,

Feb 56

31,043

Sarz, H. P.
D-D REACTION PAINTS. 30 Jan 56, 10p. (refs.
omitted) 2 refs.
Order from SLA \$1.10

62-18609

Trans. of Werkstoffe und Korrosion (West Germany)
1954 [v. 5, no. 8/9] p. 290-295.

DESCRIPTORS: *Paints, Chemical properties, Chemi-
cal reactions, Surfaces, Films.

(Materials--Paints, TT, v. 9, no. 11)

62-18609

1. Title: D-D paints
2. Title: Desmodur
3. Title: Desmodur
1. Sarz, H. P.

Office of Technical Services

Applications of Electrochemistry to Investigations
in Corrosion, by Marcel Pourbaix, 13 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol V,
No 11, 1954, pp 433-440.

A.E.R.E. Harwell Tr 524

Sci - Electricity, Chemistry, Minerals/Metals,

31,962

The Influence of Aeration on the Corrosion
in Aluminium in Soil, by T. Marcovic, and
M. Karsulin.

GERMAN, per, Werkstoffe u Korrosion, Vol VI,
No 1, Jan 1955, pp 6-8, Ref: C-2126

~~GERMAN~~ // 1471

Ust

Sci

NRC

Aug 58

69, 861

Contribution to the Problem of A.C.
Corrosion, by H. F. Schwenkhagen.

GERMAN, per, Werkstoffe und Korrosion,
No 2, 1955, pp 63-71.

CSIRO

Sci - Chem
Oct 61

171, 610

The Present Position of Phosphatization for Ferrous
and Nonferrous Metals, by W. Machu. UNCL

GERMAN, per, Werkstoffe und Korrosion, Vol VI, No 2,
1955, pp 72-80.

Natl Res Council Lib C2416
Ottawa 2, Canada

Sci - Min/Metals
Apr 59

84,995

Oxidation and Corrosion Process at Medium
and Low Temperatures, by Karl Hauffe, 25 pp.

GERMAN, per, Werkstoffe u Korrosion, Vol VI,
1955, pp 117-130.

AEC Tr 2364

Assoc Tech Serv
Tr 9307R

Sci - Chemistry, Minerals/Metals

30,905

On the Behaviour of Brass in Dilute Mineral
Acids and Their Mixtures in the Presence
and Absence of Inhibitors, by W. Machu,
M. G. Fouad.

GERMAN, per, Werkstoffe und Korrosion,
Vol VIII, 1957, pp 139-145.

CSIBO

Sci - Min/Mat
Aug 62

111, 480

Contribution to the Knowledge of the Corrosion
Behaviour of Austenitic 18/8 Chromium-Nickel
Steels in Aqueous Solutions Containing Halogens,
by C. Carus: UNCL

GERMAN, per, Werke Korr, Part 5, 1955, p 246-247.

British Iron and Steel Ind
(no number given)

831 - Min/Met
Sep 59

98,129

On the Passive and Active Behavior of Lead in Soil,
by T. Markovic, Z. Dugi, 11 pp.

GERMAN, per, Werkstoffe u Korrosion, No 6, 1955,
pp 294-296.

SLA 57-1195

May 58

63,828

Short-Time Tests in a New Corrosion Test Chamber. by W. Hess, 7 pp.

GERMAN, per, Werkstoffe u Korrosion, Vol VI, No 7, Jul 1955, pp 325-328.

SLA 57-2061

Sci

Jul 58

68,010

Fritz, I. C.
"GOLD ZINC": A NEW REMARKABLE SURFACE
PROTECTION. [1962] 5p. 12 refs.
Order from SLA \$1.10

62-16984

Trans. of Werkstoffe und Korrosion (West Germany)
1955 [v. 6, no. 11] p. 521-523.

DESCRIPTORS *Zinc coatings, Steel, Surfaces,
Cast iron, *Corrosion inhibition.

(Materials Engineering III, v. 6, no. 2)

62-16984

I. Fritz, I. C.
II. Title: New . . .

Office of Technical Services

Review of Methods and Specifications for Short-Time Stresses Within the Scope of Climatic Tests, by A. Eutselnigg, 36 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol VII, No 2, 1956, pp 65-82.

ATIC F-TS-10077/V

Sci - Min/Metals
May 57

48,896

New Experiments With Steam-Phase Inhibitors,
by L. Cavallaro, Giorgio Mantovani, *et al.*

GERMAN, per, Werkstoffe und Korrosion, Vol VII,
No 4, 1956. *Journal of Corrosion?*

ACSI I-5477
ID 2204033964

Sci - M/M
Sep 64

Systematic Research to Test the Anticorrosion
Efficiency of VPI on a Number of Common Metals,
by W. Paul, 17 pp.
GERMAN, per, Werkstoffe und Korrosion, Vol VII,
No 4, 1956, pp 189-198.
ACSI I-3476
ID 2204038864

Sci - M/M
Nov 64

269,050

Synthetic Organic Materials in the Food
Industry, by R. ~~REICHHERZER~~ Reichherzer, 3 pp.

GERMANY, per, Werkstoffe u Korrosion, Vol VII,
No 5, 1956, pp 254-256.

SLA 57-2294

Sci

Aug 58

69, 789

The Effect of Treatment With Lithium-Oxide
Vapour on the Oxidation Rate of Iron, by
Brauns, Reimel.

GERMAN, par, Werkstoffe und Korrosion, Vol VII,
1956, pp 448-452.

CSDB 2459

CSA 11/11
Aug 63

341,375

Protection Contre la Corrosion et Matériaux
Utilisables dans les Constructions Modernes
Pour Acides, by Gunter Schucking, 46 p.

GERMAN to FRENCH, per, Werkstoffe Korrosion, 1956,
Vol VII, No 11, pp 615-626.

CEA-tr-A261

Sci
Feb 60
Vol 2, No 10

Handbook in Steels and Alloys Resistant to Chemical
Reagents, by I. Wetterlik, 21 pp.

GERMAN, per, Werkstoffe u Korrosion, Vol VII, 1955,
p. 628-633.

ASC C-A Tr A351

Revised Trans German to French.

Feb 5

Oxidation of Titanium, by Kofstad, Karl Hauffe,
19 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol VII,
1956, pp 642-649.

AEC Tr 3215

Sci - Chem

May 58

64, 844

Anodic Behavior of Copper Zinc Alloys in Sodium Cyanide Solutions, by I. W. Machu, GERMANY, per, Werkstoffe und Korrosion, No 1, 1957, pp 17-23.
ACSI J-1157
ID 2204054466

Sci-Chem
Mar 67

320,102

R-557

Stress-Corrosion and Theory of Strength of Material,
by Matthes,

GERMAN, per, Werkstoffund und Korrosion, Vol VIII,
No 5, 1957, pp 261-277.

*JPRS ARGMA

See

4 May 61

Graf, L.
CAUSES AND MECHANISM OF STRESS CORROSION
IN HOMOGENEOUS ALLOYS. [1960] 24p.
Order from ATS \$34.60 ATS-34M46G

Trans. of Werkstoffe und Korrosion (West Germany)
1957 [v. 8] no. 6, p. 329-344.

146,978

(Metallurgy--Corrosion, TT, v. 3, no. 3)

61-12409

1. Alloys--Corrosion
2. Alloys--Stresses
- I. Graf, L.
- II. ATS-34M46G
- III. Associated Technical
Services, Inc., East
Orange, N. J.

Office of Technical Services

Gerischer, H.
ELECTROCHEMICAL PHENOMENA IN STRESS
CORROSION. [1961] 13p.
Order from ATS \$19.60

ATS-05N57G

Trans. of Werkstoffe (und) Korrosion (West Germany)
1957, v. 8, no. 7, p. 394-401

DESCRIPTORS: *Corrosion, Electrochemistry,
Stresses.

(Metallurgy--Corrosion, TT, v. 7, no. 5)

62-12374

I. Gerischer, H.
II. ATS-05N57G
III. Associated Technical
Services, Inc.,
East Orange, N. J.

ATS/925-GT

Office of Technical Services

Representation Of Corrosion Behaviour Of Aluminium
and Aluminium Alloys In Electrolytes By Means Of
a Corrosion Current - pH Diagram by T. Makovic and
U.M. Balasa

GERMAN, per, Werkstatt Und Korrosion, Vol VIII,
No 7, 1957, pp ~~402-403~~.

CSIRO

Oct. 62

Stress Corrosion Of Wrought Aluminium Alloys (including Studies Of Other Non-ferrous Alloys). by H. Vosskuhler.

GERMAN, per, Werkstoffe Und Korrosion, Vol VIII, No 8/9, 1957, pp 463-480.

CSIRO

Oct. 62

The Resistance of Materials to Formaldehyde, by E.
Lingnan, 7 pp.

GERMAN, par, Werkstoffe u Korrosion, Vol VIII, No
8-9, 1957, pp 483-484.

SLA 58-253

Sci

Aug 59

95, 716

L'Influence des Traces d'Elements sur la Resistance a
L'Oxydation des Alliages Refractaires (Effects of
Trace Elements on Oxidation Resistance of Refractory
Alloys), by H. Pfeiffer, 27 pp.

GERMAN TO FRENCH, per, Werkstoffe und Korrosion,
Vol VIII, 1957, pp 574-579.

Reverse Trans
CEA Tr-A-639

Sci
27 Oct 60

Corrosion Resistance of Condenser Tubes Made
From Copper Alloys, by K. Richborn.

GERMAN, par, Werkstoffe und Korrosion,
No 11, 1957.

q

CSIRO

Sci - Min/Mer, Engr
Aug 62

207,366

Protection Against Corrosion in Sea
Transport in Tropical Climate, by H.
Determann.

GERMAN, per, Werkstoffe und Korrosion,
Vol VIII, No 11, 1957, pp 689-694.

CSIRO

Sci - Chem
Jul 62

203, 413

10 910

Fr-1

German

YAMAGUCHI Sh.

Various oxidation aspects on metallic surfaces

Divers facies d'oxydation des surfaces métalliques

Werkst. u. Korros. Dtsch. 8, No. 12, 733-735 (1957)

CEA-A 614 - French

E u r a t o m

Inhibition of Atmospheric Corrosion of Mild Steel
With Sodium Benzoate, by Yu. O. Sarc-Labodny. UNCL

GERMAN to FRENCH, per, Werkstoffe und Korrosion,
12 Dec 1957, pp 738-742.

IRSID T 1020
185, Rue President-Roosevelt
St. German-en-Laye
(S-et-O), France

Construction, Method of Use and Range of Applicability
of a New Bond Test Apparatus, by Walter Kohler,

GERMAN, per, Werkstoffe und Korrosion, Vol IX, Apr 1958,
pp 216-227.

*JPRS R-590-N for
Army Rocket and Guided
Missile Agency

Sci - Engr
Jul 61

Remote Protection Effect of Metal Coatings Sprayed
on Steel, by H. Spindler.

GERMAN, per, Werkstoffe und Korrosion, Vol IX,
No 5, 1958, pp 278-283.
BISI 3624

Sci - M/M
Oct 64

268,039

**Effect of Anaerobic Bacteria on Current Required
by Cathodically Protected Installations Buried
Underground, by M. Solti, J. Morvath. UNOL**

**GERMAN, per, Werkstoff und Korrosion, No 3, 1978,
pp 283-291.**

DEIN 34999/OT

**Sci - Chem, corrosion
Apr 59**

*Chief Librarian
C.S. & R. O.
3/4/78
6-1/10
85,086*

The Corrosion Behaviour of Magnesium During Inhibition and Activation or Its Dissolution Represented in a 1- ϕ -Diagram, by T. Markovic, L. G. Rubinic. UNCL

GERMAN, per, Werkstoffe und Korrosion, Supplement to ed. No 6, Jun 1958, pp 357-359.

British Iron and Steel E 1301

(not to be included in BISI unless two or more tr's are requested).

Scl - Chem
May 59

Rest Potential and Cathodic Polarisation of Active
Chromium and a Chromium-Iron Alloy in Sulfuric Acid,
by Th. Neumann, B. Roschenbleck, 14 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol IX, No 6,
1958, pp 383-391.

SIA
AFB-251300
ats

Sci - Minerals/Metals
Sep 59
Vol II, No 2

98,658

Comparison Between the Result of Weathering in an
Industrial Atmosphere and Short-Term Trials
in Atmospheres Containing Sulphur Dioxide, by
A. Kutzelnigg.

GERMAN, per, Werkstoffe und Korrosion, Vol IX,
No 7, 1958, pp 429-434.

MSI 3160

239 901

Sci - Geophys
May 63

Electro-Chemical Reaction of Dual Metallic
Electrodes and the Use of Excess Voltage Curves
of These Electrodes in Corrosion Research,
by G. Bianchi, G. Caprioglio, 10 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol IX,
No 7, 1958, pp 440-443.

SLA 60-10750

Sci

OTS, Vol III, No 6

126,925

CEA-tr-A-995 Uncl.

ASPECTS CHIMIQUES ET ELECTROCHIMIQUES DE LA
CORROSION DANS LES REACTEURS. (Chemical
and Electrochemical Aspects of Corrosion in
Reactors). G. H. Cartledge. Translated
into French by M. L. Brini from Werkstoffe
u. Korrosion, 9: 493-503(1958). 44p. 9092360

Corrosion; Reactor Engineering; Translations
MC-80

C-80 NP NSA Dep.(mc); \$4.60(fs), \$1.52(mf)
JCL

N-4,

Corrosion and Passivity, by U. F. Franck,
12 pp
J. Electrochem. Soc., Vol. 105, No. 8/9, 1958, pp 504-513. 9215991
ASTM Tr 1249

64 - Engr
by CEA Tr-248,803

CEA-G-A-731 (Rpt: UNCLASSIFIED)
RECHERCHE AU MOYEN D'UN POTENTIOMÈ-
TRE STABILISATEUR DE LA TENDANCE À LA
CORROSION INTERCRISTALLINE DES ACIERS
AU CHROME NICKEL EMPLOYÉS EN ÉTAT DE
PASSIVATION. (Research with a Potentiometer
Stabilizer on the Tendency to Intercrystalline
Corrosion of Chromium-Nickel Steel used in
the Passivation State) M. Prazak. Translated
into French from Werkstoffe u. Korrosion 9,
1517-19(1956). 10p. Dep.(mc). 12/6/60.
Nonproject.

NSA

C

Corrosion and Passivity, by U. F. Franck,
15 pp.

GILMAN, per, Werkstoffe und Korrosion, Vol IX,
No 8/9, 1958, pp 502-513. 9215991

ACSIL Tr 1249

101 - HGR
101 - H4

*Index Trans. to Franck
by CEA Tr-A-512 (4011)
248,803*

18. GEA-tr-A-312 UNCLASSIFIED
CORROSION ET PASSIVITE. (Corrosion and Passivity.)
U. F. Franck. Translated from Werkst. u. Korros.,
Dtsch., 9, 3/9, 504-512 (1958). 40p. Dep. (mc).

MC-25

Corrosion; Metallurgy; Translations

CEA-U-A-731 (Rpt UNCLASSIFIED)
RECHERCHE AU MOYEN D'UN POTENTIOMÈ-
TRE STABILISATEUR DE LA TENDANCE À LA
CORROSION INTERCRISTALLINE DES ACIERS
AU CHROME NICKEL EMPLOYÉS EN ÉTAT DE
PASSIVATION. (Research with a Potentiometer
Stabilizer on the Tendency to Intercrystalline
Corrosion of Chromium-Nickel Steel used in
the Passivation State) M. Prazak. Translated
into French from Werkstoffe u. Korrosion 9,
1517-19(1956). 10p. D-p.(mc). 12/6/60.
Nonproject.

Permeability of Paint Films in Ions, by
K. Barton, et al.

GERMAN, per, Werkstoffe und Korrosion,
Vol IX, No 8/9, 1958, pp 519-521.

OSIRO

Sci - Cohen

207,662

Aug 62

Measurement of Electrochemical Quantities at
Temperatures up to 300°C and at Corresponding
Equilibrium Pressure. by Vilon Prazak, G. W.
Akimov, 4 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol IX,
No 2/2, 1958, pp 524-525.

SLA 60-10749

-1

126,929

Vol III, No 6

Corrosion of Aluminium and Its Alloys in Waters
of Various Compositions, by Otakar Svereta,
11 p.

GERMAN, per, Werkstoffe und Korrosion, 1958, Vol IX,
No 8/9, pp 533-535.

SLA 59-15336

Sci
Jan 60
Vol 2, No 6

103, 733

Measurement of Intercrystalline Corrosion by
the Method of Resonance Frequency, by K. Surcek.

GERMAN, per, Metallstoffe und Korrosion, Vol IX,
No 8/9, 1958, pp 550-552.

Aluminum Lab

Sci - Chem

Oct 60

129,672

Air Pollu. 0267

R-8829-D
20 Oct 67

Der Einfluss von Staub auf die atmosphärische Korrosion
von Metallen

By: Barton, K.

From: Werkstoffe und Korrosion 8/9, 1958:547-9 (3 pp)

German - est for wis:

Please translate and type 1 camera ready copy plus
1 xerox copy. Document can be cut.

The Significance of Physical Properties of
the Soil in the Corrosion Mechanism of Iron
Buried in the Ground, by T. Markovic, 24 pp.

GERMAN, per, Werkstoffe und Korrosion,
Vol IX, No 10, 1958, pp 623-630.

SLA 60-16886

Sci
Vol IV, No 8
2 Jun 1962

197,995

Effect of Stress Corrosion Susceptibility in Non-ferrous Alloys and Steel, by Ludwig Graf, 8 pp.

STEIN, per, Werkstoffe und Korrosion, No 9, 1958,
p 693-698. 9207259

AEC Tr-5724

Sci - Mat & Mat

May 63

232,198

Investigations of the Corrosion Behaviour of
Aluminium and Aluminium Alloys in Organic and
Inorganic Basic Media, by A. Bukowiecki, 6 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol X,
No 2, 1959, pp 91-93.

SLA 60-14502

Sci
Aug 61

OTS, Vol III, No 12

163,142

New Experiments With Steam-Phase Inhibitors,
by L. Cavallaro, Giorgio Mantovani, 6 pp.
GERMAN, per, Werkstoffe und Korrosion, Vol VII, >
No 4, 1959.
ACSI 1-5477
ID 2204038964

SU - M/M
Nov 64

269,051

Cast Iron in Equipment for the Chemical Industry,
by P. von der Forst.

GERMAN, per, Werkstoffe und Korrosion, Vol X,
Apr 1959, pp 213-218.

BCIRA 979

Sci - Engr

May 61

148,838

Surface Wetting of Materials, by L. Piatti,
A. King, A. Kaiser, 10 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol X,
1959, pp 239-243. 9090531

A.C.S.I.L. No 1358

Sci - Min/metals

211.509

Aug 62

Reaction Mechanism of Atmospheric Corrosion of
Metals in Moist Air Contaminated With Sulphur
Dioxide, by K. Barton, et al.

GERMAN, per, Werkstoffe und Korrosion, Vol X,
No 6, 1959, pp 377-383.

ATB 625-GJ

Sci - Chem

Jun 61

156,883

Application of the Polarization Curve to the
Examination of Local Corrosion of Stainless
Steels, by J. M. DeFranoux.

JANMAN, per, Werkstoffe und Korrosion, Vol X,
No 1, 1959, pp 425-429.

ATS 75W10

Sci - Chem; Min/Met

158901

Jun 61

Emploi de matieres plastiques dans la construction
d'appareils utilises dans l'industrie chimique,
by O. Durrer, 15 pp.

GERMAN to FRENCH, per, Werkst. und Korros., ~~II~~
Vol X, No 10, 1959, pp 608-612.

Reverse Translation
CEA-A-1566

Sci

Aug 64

"Die Inhibition der Wasserstoffkorrosion von Eisen
durch Phenylthioharstoff, by Von H. Kaesche.

GERMAN, per, Werkstoffe und Korrosion, Issue No 10,
1959, pp 622-624.

*JPRS for
Watertown Arsenal
Watertown Mass.

Jun 60

Cast Iron and Fuming Sulphuric Acid (Oleum),
J. Beran.

GERMAN, per, Werkstoffe und Korrosion, Vol 7.
No 11, 1959, pp 665, 666.

BCIRA 980

*ACSIL 1366

Sci - Chem

May 61

156, 458

Filiform Corrosion of Painted Steel Surfaces,
by H. Kaesche.

GERMAN, per, Werkstoffe und Korrosion, Vol X,
No 11, 1959, pp 568-681.

SLA 60-18505

Sci Min/Mot

Jun 61

156,058

<p>Meier-Grolman, P. W. CAUSES AND COURSE OF ATTACK IN THE ACTION OF AGGRESSIVE WATERS ON CEMENT MORTAR AND CONCRETE, PT. I. [1961] 39p. Order from ATS \$49.95 ATS-78NSIG</p> <p><u>Trans. of Werkstoffe und Korrosion (West Germany)</u> 1959 [v. 10] no. 12, p. 758-760.</p> <p>DESCRIPTORS: *Cements, *Concrete, Moisture.</p> <p>(Materials, TT, v. 6, no. 4)</p>	<p>61-22904</p> <p>I. Meier-Grolman, P. W. II. ATS-78NSIG III. Associated Technical Services, Inc., East Orange, N. J.</p> <p>177748</p> <p>Office of Technical Services</p>
---	--

The Corrosion Systems of Metals in Soil. III Copper
and Copper Alloys, by T. Markovic.
GERMAN, per, Werkstoffe und Korrosion, Vol XI,
No 2, 1960, pp 87-93.
CEGB 2966

Sci - M/M
Apr 64

255,142

The Adhesion of Surface Layers on Metals, by
H. J. Engell.

GERMAN, per, Werkstoffe und Korrosion, Vol ^{III} XL,
Mar 1960, pp 147-151.

BIBI 3018

Sci - m/m

Jan 63

List 158

2/1/63

The Corrosion Systems of Metals in Soil. Part II
Lead, by T. Markovic, H. Sevdic.

GERMAN, per. Werkstoffe und Korrosion, Vol XI,
No 1, 1960, pp 22-27.

CEGB 2965

Sci - M/H
Oct 63

Grubitsch, H. and Heckel, K.
INVESTIGATION OF SURFACE CHANGES OF PLATINUM ELECTRODES. [1962] [8]p. 2 refs.
Order from SLA \$1.10 62-14775
Figs. poor quality; available on loan also

Trans. of Werkstoffe und Korrosion (West Germany)
1960, v. 11 (no. 5) p. 271-273.

DESCRIPTORS. *Electrochemistry. *Platinum electrodes. Surface properties. Microstructure.

(Chemistry--Physical, TT, v. 5, no. 2)

62-14775

I. Grubitsch, H.
II. Heckel, K.

Office of Technical Services

Rocha, H. J.
THE BREAKDOWN BY CHLORINE IONS OF THE
PASSIVATION LAYERS OF AUSTENITIC 18/8 Cr-Ni
STEELS. [1960] 9p.

Rept. for ATN 514-20

ATS-83M44G

Trans. of Werkstoffe u[nd] Korrosion (West Germany)
1960, v. 11, no. 6, p. 357-358.

143 p98

ATS 623-GJ

(Metallurgy--Corrosion, TT, v. 5, no. 1)

61-12092

1. Steel--Corrosion
2. Chlorine ions--Chemical reactions

1. Rocha, H. J.
- II. ATS-83M44G
- III. Associated Technical Services, Inc.,
East Orange, N. J.

Office of Technical Services

On the Influence of the Operating
Conditions in a Complex Metal-Sulphate
Bath Containing Urea on the Composition
of Iron-Chromium-Nickel Alloys,
by W. Machu, H.F.M. El-Ghandour.
GERMAN, por, Werkstoffe und Korrosion,
No 7, 1960, pp 420-425. 9227727
N.S.T.I.C. Tr 1577

GB 60/1577

Sci/H&M
Sep 65

289,307

Etat des Surfaces Metalliques Apres Polissage Avec
de la Pate Diamantee, by H. Klemm, 19 pp.

GERMAN to FRENCH, per, Werkstoffe und Korrosion,
Vol XI, 1960, pp 474-478. 9069363

CEA A-1202

Reverse Translation

Sci

Dec 62

L'etat d'une surface apres polissage metallo'
graphique a la pate de diamant, by H. ~~XXX~~ Klerm,
14 pp.
GMSA. to FISHA, per, Werkst und Korros, Vol XI,
No 6, 1960, pp 474-478.

Reverse Translation
CHA-A-1074

Sci
Sep 64

Electro-Deposition of Iron-Chromium Alloys From
Complex Chromic Sulphate Solutions, by
W. Machu, H.F.M. El-Chandour.
GERMAN, per, Werkstoffe Korros Mannheim, Vol 11,
No 5, 1960,
pp 274-283.
CRL/D.752
Vol 17, No 3, 1960

July 69

385-206

Flame Spraying of Alumina, by H. Meyer, 63 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol XI,
1960, pp 601-616.

AERE, Harwell
MP-Tr-608

Sci - Min/Met
Sep 61

166,192

CEA-tr-A-570 Uncl.

PROBLÈMES DE CORROSION DES MATÉRIAUX DESTINÉS
À GAINER LES COMBUSTIBLES NUCLÉAIRES. (Prob-
lems of Corrosion of Sheath Materials for
Nuclear Fuels). H. W. Schleicher. Translated
into French from Werkstoffe u. Korrosion, 11:
691-701(1960). 50p.

Corrosion; Metallurgy; Reactor Fuels MC-25

C-25 NP NSA Dep.(mc); \$4.60(fs), \$1.70(mf)
JCL

N-3

Klemm, H. and Wiegmann, K.
METALLOGRAPHIC OBSERVATIONS ON DIAMOND-
POLISHED SAMPLES (Metallographische Betrachtungen
an Diamatpolierten Proben). [1961] [10]p. 7 refs.
Order Form SI A 51-10 62-10725

Trans. of Werkstoffe und Korrosion (West Germany)
1960, v. 11, p. 799-813

DESCRIPTORS: Metals; Alloys; Electrolytic polishing;
Abrasive; Polishing; Diamonds; Tests; Metallurgy.

(Metallurgy, ET, vol. 7, no. 10)

62-10725

H. Klemm, H.
K. Wiegmann, K.

Office of Technical Services

Minimum Content of Alloying Constituents for
the Formation of Oxide Layers Affording High
Protection Against Oxidation at High Temperatures,
by F. Maak, C. Wagner.

GERMAN, per, Werkstoffe, Vol XII, No 5, 1961
pp 273-277,

CSOB 2340

Sci - Chem
Feb 63

62-16285

Cookin, P. and Hollo, M.
CONTRIBUTION TO THE KNOWLEDGE OF FORMATION MECHANISM INVOLVED IN THE ANODICALLY PRODUCED HARD OXIDE COATINGS (Beitrag zur Frage des Bildungsmechanismus von Anodisch Erzeugten Hartoxydschichten). 14 Mar 62 (23 p. (foreign text included) 26 refs.
Order from SLA \$2.60 62-16285

I. Cookin, P.
II. Hollo, M.

Trans. of Werkstoffe und Korrosion (West Germany)
1961, v. 12, no. 5, p. 288-295.

DESCRIPTORS: *Electrochemistry, *Aluminum electrodes, Anodes (Electrolytic cell), Oxides, Coatings, Microstructure, Sulfuric acid.

The hard-oxide coatings produced in dilute cold sulphuric acid solutions at different cell voltages and exposure periods on aluminium were investigated under (Chemistry--Physical, TT, v. 9, no. 3) (over)

Office of Technical Services

On the Chromating of Non-Ferrous Metals, by O. Woldt
GERMAN, per, Werkstoffe und Korrosion, Vol XII,
1961, pp 486-493.

BIBI 2851

Sci - M/M
Feb 63

~~XXXXXXXXXX~~
22⁴,254

Effect of Alloy Additives on Corrosion Behavior
of Titanium, by W. R. Fischer, W. Knorr, 28 pp.

GERMAN, per, Werkstoffe und Korrosion, Vol XII,
No 10, 1961, pp 597-607.

Dept of Interior
TN7 E57 No 627

Sci - Min/Met
Feb 63

221,105

Influence of Embedding Substances on Oxidation
and Corrosion Characteristics of Heat-Conducting
Alloys, by H. Pfeiffer.

CHESMAN, per, Werkstoffe und Korrosion, Vol XII,
1961, pp 669-680.

RUSI 3056

Sci - M/M
Feb 63

123,536

The Kinetics of Pitting in Passivated Nickel-
Chromium Steel, by E. Branna, W. Schwenk.

GERMAN, per, Werkstoffe und Korrosion, Vol XVII,
Feb 1961, pp 73-80.

BISI 2128

Sci - Min/Met

Jul 61

161,035-

Materials for Rocket Construction, by
Robert Scherer, 5 p.
FOR OFFICIAL USE ONLY
GERMAN, per, Werkstoffe und Korrosion,
Vol XIII, No 3, 1962, pp 129-133. 9698552
ISIC-439

Sci-Fuels
Mar 66

294,401

The Use of Autoradiography for Investigating Phenomena on
Metal Surfaces, by L. Junghahn,

GERMAN, per, Werkstoffe Und Korrosion, Vol XIII, No 4,
1962, pp 204-209.

*AERE-Harwell- 1951

Sci- Nuc Sci
Nov 63

CEA-TR-A-1148 Uncl.

PROBLÈMES DE CORROSION DANS LES RÉACTEURS À
REFROIDISSEMENT PAR DES GAZ OU DE L'EAU.
(Corrosion Problems in Reactor Cooling with
Gas or Water). V. Cibal and V. Rypar.
Translated into French from Werkstoffe u.
Korrosion, 13: 1-11 (Jan. 1962). 59p.

Corrosion; Metallurgy; Reactor Cooling;
Reactor Engineering; Reactor Materials;
Translations MC-25

C-25 NP NSA Dep.(mc); \$5.60(fs), \$1.97(mf)
JCL

N-4

Aggressivity of Soil, and Cathodic Protection,
by E. Loelerc.

GERMAN, per, Werkstoffe und Korrosion, No 13,
1962, pp 349-351.

NRC Ref: C-4340

Sci - Earth Sci & Astron
Dec 63

244,847

CEA-tr-A-1455 Uncl.

RÉSISTANCE DES ACIERS À LA CORROSION PAR LE
MERCURE ET L'AMALGAME AU SODIUM. (Resistance
of Steels to Corrosion by Mercury and
Sodium Mixtures). G. Jangg. Translated
into French from Werkstoffe Korrosion, 13:
405-10(1962). 17p.

Corrosion; Metallurgy; Translations MC-25

C-25 NP NSA Dep.(mc); \$1.60(fs), \$0.80(mf)
JCL

N-1

Information on the Part Played by Oxides in
Cases of Damage to Tubes in High-Pressure Boilers,
by Vincotto.

R.
GERMAN, *Der, Werkstoffe und Korrosion*, No 9, 1962,
pp 535-538.

CHGB 2847

Sci - Engr
Oct 63

Attaque differentielle au potentiostat de la
microstructure des aciers du type 18-8, by
B. Roschenbleck, E. K. Russ, 20 pp.
GERMAN to FRENCH, per, Werkst und Korrosion,
Vol IV, 1963, pp 261-269.

Reverse Translation
CEA-A-1698

Sci

Nov 64

La corrosion selective d'alliages de cuivre,
by L. Pinatti, R. Grauer, 23 pp.
GERMAN to FRENCH, per, Werkst und Korros, Vol VII,
1963, pp 551-556.

REverse Translation
CEA-A-1544

Sci
Sep 64

Application Limits for Steel in Contact with
Hydrogen, by G.A. Nelson.
GERMAN, per, Werkstoffe und Korrosion, 1963, vol.14,
no.2, pp.65-69.
K-H-13175

Mat/Metal
Aug 66

307,714