DATE/INFO DATE/SOURCE  30 NOV 62  SOV-BLOC RSCH IN GEOPHYSICS, ASTRON, & SPACE  SOVIETS BUILD NEW ASTRONOMICAL OBSERVATORIES  A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory beconstructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev, Sovetskaya Moldaviya, 25 August 1962, p. 1)	PL. NO
DATE/INFO DATE/SOURCE  A MO VR DA MO VR  CONTROL NO. SOURCE  SOV-BLOC RSCH IN GEOPHYSICS, ASTRON, & SPACE  SOVIETS BUILD NEW ASTRONOMICAL OBSERVATORIES  A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory being constructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	PL. NO
A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory being constructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	FL. 180
SOVIETS BUILD NEW ASTRONOMICAL OBSERVATORIES  A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory being constructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	
SOVIETS BUILD NEW ASTRONOMICAL OBSERVATORIES  A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory beconstructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	PF
SOV-BLOC RSCH IN GEOPHYSICS, ASTRON, & SPACE  SOVIETS BUILD NEW ASTRONOMICAL OBSERVATORIES  A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory beconstructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	EVAL
A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory beconstructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	
A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory be constructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	
A Siberian scientific station for observations of the solar corona is being organized in a mountainous region southwest of Irkutsk. The observatory be constructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	S
organized in a mountainous region southwest of Irkutsk. The observatory beconstructed near Tartu has been assigned the role of central astronomical institution for the Baltic republics.  (Complete translation: "New Astronomical Stations", unsigned; Kishinev,	
(Complete translation: "New Astronomical Stations", unsigned; Kishinev, Sovetskaya Moldaviya, 25 August 1962, p. 1)	ng
2216427 (438) 21 NOV 1962	
23689 \$/035/61/000/004/013/05 A001/A101	FBG
3,/200 AUTHOR: Nadeyev, L. N.	

TITLE:

On the work of the Irkutsk Laboratory of Time and Frequency of BHNN  $\Phi$  TPN (VNIIFTRI) in 1955-1957

PERIODICAL:

Referativnyy zhurnal. Astronomiya i Geodeziya, no. 4, 1961, 16, abstract 4A206 ("Tr. 14-y Astrometr. konferentsii SSSR, 1958". Moscow-Leningrad, AN SSSR, 1960, 86-87. Discus. 87, Engl. summary)

TEXT: Astronomical determinations of clock corrections are performed with two transit instruments (4 observers). The chain method of observations is employed to detect errors in direct ascensions of the FK3 catalogue (R) of the form  $\Delta \propto_{\rm CL}$ . Time keeping is conducted by means of a pendulum clock (root-mean-square variation of diurnal run was confined within 2 msec) and a KM-1 (KI-1) quartz clock (variations of diurnal run are of the order of +0.4 to -0.5 msec). A synchroscope with a phasing motor is employed for reception of second signals. Errors in recording signals became less than 0.1 msec. 19 deliveries of second signals are controlled, as well as 3 transmissions of rhythmical signals and 10 transmissions of the new type signals (from stations of frequency standard) and

n---- 1 /n

23689

On the work of the Irkutsk Laboratory ...

S/035/61/000/004/013/058 A001/A101

the PET (REF) station - 7 transmissions per day. A table of data is presented which characterizes activity of the Laboratory from 1955 to 1957.

A. Naumova

[Abstractor's note: Complete translation]

Approved For Release 2002/05/17/: CIA-RDP96-00787F000400130078-APR 1963

S/210/62/000/011/001/001 E032/E414

P.M.

AUTHOR:

Vinogradov, P.A.

TITLE:

Beat-type oscillations in the electromagnetic field of the earth (according to observations in Irkutsk)

PERIODICAL: Geologiya i geofizika, no.11, 1962, 114-124

Regular observations of PP-oscillations were begun at Irkutsk in August 1957. The present paper reports results obtained as a result of four years of observations. The PP-oscillations have the form of beats. The most frequently encountered repetition frequency of these beats was found to be 0.3 to 0.1 cps. The most frequently encountered frequency of the "carrier" was found to correspond to a period of 0.6 to 1.0 sec. maximum amplitude of the resultant oscillation was found to lie Finally, the between 0.05 and 2.5 mV/km, but the most frequently encountered values were in the range 0.15 to 0.60 mV/km. A study was also made of the diurnal variations in the frequency of appearance of the PP-oscillations, the diurnal variation in their intensity and the seasonal distribution. A further study was concerned with changes in the ionosphere during PP-oscillations and their geographical distribution. A survey of the results obtained at

Beat-type oscillations .

S/210/62/000/011/001/001 E032/E414

twelve different stations shows that for geomagnetic latitudes greater than 40° the mean monthly repetition frequency of PP-oscillations is given by the empirical formula  $n = -3.8 + 0.15 \varphi$  where  $\varphi$  is the geomagnetic latitude. It is noted that the There are 6 figures

ASSOCIATION: Sibirskiy institut zemnogo magnetizma, ionosfery i rasprostraneniya radiovoln, Irkutsk (Siberian Institute of Terrestrial Magnetism, Ionosphere and the Propagation of Radio Waves, Irkutsk)

SUBMITTED:

October 27, 1961

Card 2/2

FIRM NO.				- 1
2216422		CLASSIFICAT		
CODE COUNTRY 491 LOCATION		1//	CHART ACTIVITY CODES  INSTALLATION	53 P.
DATE/INFO	DATE/SOURCE	<del>                                     </del>	THE PARENT ON	PL. NO.
MO YR		CONTROL NO.		PF
LISTIN	- JUNE 62 G BY NAME		SOURCE SCIENTIFIC RESEARCH INSTITUTES OF THE USSR LEXICOGRAPHIC AND TERMINOLOGY SECTION/AID/LC	EVAL

Сибирский институт земного магнетизма, ионосферы и распро-странения радиоволн (Сиб. ИЗМИР) [Сибирского отделения Академии наук СССР]

г. Иркутск

Siberian Institute of Terrestrial Magnetism, Ionosphere and Radio Wave Propagation (Sib. IZMIR) [of the Siberian Department of the Academy of Sciences USSR]

1960 location: Irkutsk

Approved For Release 2002/05/17 : CIA-RDP96-00787R000500130078-0