

understand what is happening. When ESP experiences are no longer felt as a threat, the activation of internal resources during therapy allow the patient to mitigate or overcome resistances, actualizing his tendency towards recovery.

The purpose of this paper is to expand the traditional concept of the individual vs. environment, taking into account the possibility of other levels of reality which can interact with the individual. It is not our intention to substitute today's psychotherapeutic knowledge - but only to add to it another dimension, aiming at a holistic understanding of the patient and his reality, as well as his recovery.



CLINICAL PSYCHOLOGY AND LEVELS OF REALITY:
PART II - ESP AS AN AID TO PSYCHOTHERAPY
IN SOME PSYCHOLOGICAL DISORDERS

SAMUEL, Andr e. and KISKOS, Julika
Clinical Psychologists
Sociedade de Pesquisas Psicobiof sicas de
S o Paulo
S o Paulo, S.P., Brazil

REFERENCES

Capra, F. The Tao of Physics, Great Britain: The Chaucer Press, 1975.

Ellenberger, H.F. The Discovery of the Unconscious. New York: Basic Books, Inc., 1970

Jaspers, Karl. Psicopatologia Geral. Rio de Janeiro: Livraria Guanabara, 1973, vol I and II.

Kiskos, J. and Samuel, A. Healing at a Distance: Some Evidence Suggestive of Theta Agent Influence in Psychological Disturbances. In Proceedings of the Third International Conference on Psychotronic Research. Tokyo, 1977, Vol. II, 481

LeShan, L. The Medium, the Mystic and the Physicist. New York: Viking Press, 1974.

Price, H.H. Mediumship and Human Survival. In Wheatley, J.M.O. Edge, H.L. (ed.) Philosophical Dimensions of Parapsychology. Springfield: Bannerstone House, 1976.

Tart, C.T. Altered States of Consciousness. New York: John Wiley Sons, Inc., 1972

Toben, B. Space, Time and Beyond. New York: E.P. Dutton, 1975.

Abstract: The authors discuss the interactions between other levels of reality and ours in cases involving patients with psychological disorders of various kinds. Trained sensitives were used in this study and often manifested extraneous personalities (named theta agents by the authors), and who were involved with the patients. A description is made of the theta agents observed and their interaction with the patients. Removal of theta agents by means of hypnosis procedures is followed by an improvement in the patients' condition. This approach combined with traditional psychotherapy opens up new possibilities for patients whose prognosis of recovery is remote or dependent on extensive psychotherapy.

Introduction

In 1977, at the III International Conference on Psychotronic Research in Tokyo, we presented a paper discussing the possibility of influencing at a distance people with various types of psychological disorders, aiming at relieving or removing the symptoms experienced. After experimenting during three years, we had come to the conclusion that this could be done. However, we also found out that extraneous personalities manifested themselves, suggesting an interrelation between the psychological disorders of some patients and the influence of these personalities - which we named "theta agents". Also in this paper, we described the types of theta agents we came across, as well as the improvement and relapses observed in patients as well as with these agents. The subjects selected for our sample did not know that they were being focused by the group, were not undergoing psychotherapy and had been showing certain symptoms for more than a year.

The purpose of this paper is to take up these aspects and extend them based on observations made during the last two years.

Working Hypothesis

Based on observations, as pointed out in our paper "ESP as a Component of Some Psychological Disorders", which is being presented at this conference, led us to consider that there might be another level of reality, unperceived by our senses, but which could interact with the individual. Apparently, besides the classical interaction of individual vs. environment, there could be a third one that we would call "spiritual". "Spiritual" is probably not the best word

to describe this additional interaction due to its religious ring with these entities, we noticed that they usually become connotations. However, as we lack a more neutral word, we are in a certain dramatic moment of their lives. They may to maintain it.

On the other hand, the hypothesis of the existence of other living entities is supported by observations made by other researchers. a) the pioneers of the Society for Psychological Research of London; b) the early French metaphysicists; c) the studies carried out by Stevenson, Osis, Leshan, Tart, Moody and others; d) Modern Phenomenology.

This mass of information cannot be disregarded under the claim that they receive by means of black magic procedures. The experiences are the outcome of fraud, mysticism, primitivism, or other labels one might want to use. This is because the facts have been observed and confirmed by researchers over many years of work.

Method of Work

As we described in 1977, our work is done by a group of people of which are sensitives. These meet once a week with the objective of practicing absent healing or healing of patients present at such meetings. The patients are persons with psychological disorders of various kinds. For the past two years we eliminated distant healing an experimental control, because our observations showed that the subject was unaware of the treatment significant alteration occurred in his behaviour. This eliminated the hypothesis of a "spiritual" level previously mentioned is only accessible through sensitives, i.e., people that have ESP faculty.

Theta Agents

During the treatment of certain patients, we came across extraordinary personalilities. These we named "theta agents", because the circumstances in which they manifested themselves led us to conclude they were deceased persons.

Based on our observations we found four types of theta agents: a) theta agents unaware that they have died; b) theta agents led by harm patients by means of black magic; c) theta agents that try to revenge try to harm the patient; d) theta agents sharing and enjoying patients' activities.

These four categories were reported in 1977 and, up to now, no other types have been found. The classification is based on our observations. These categories are not mutually exclusive; sometimes they appear in a combined form.

- a) Theta agents unaware that they have died - They usually manifest a state of mental confusion, presenting two or more of the following characteristics:
- they do not know where they are or what is happening to them
 - they feel that they are in total darkness
 - complain about physical pains
 - are apathetic and feel weak, tired or drowsy
 - complain about existential situations
 - worry about or look for their family, but are unable to find it
 - they did not notice their presence.

ling with these entities, we noticed that they usually become in a certain dramatic moment of their lives. They may be in situations related to illness of an accident or quarrel with no motivation to go on living and talk about suicide.

Theta agents induced to harm patients by means of black magic are aware of their condition and are aware of their condition. They are aware of their condition and are aware of their condition. They are aware of their condition and are aware of their condition.

Theta agents that intentionally try to harm patients

Theta agents that intentionally try to harm patients may be aware or unaware that they have died. They may be aware or unaware that they have died. They may be aware or unaware that they have died. They may be aware or unaware that they have died.

Theta agents that share and enjoy patients' activities may be aware or unaware that they have died. They may be aware or unaware that they have died. They may be aware or unaware that they have died. They may be aware or unaware that they have died.

Theta agents that share and enjoy patients' activities may be aware or unaware that they have died. They may be aware or unaware that they have died. They may be aware or unaware that they have died. They may be aware or unaware that they have died.

C) with patients that were being treated in the presence of living with these entities, we noticed that they usually become
tives in a certain dramatic moment of their lives. They may
ion situations related to illness

Concerning "A": alternatives 1 and 2 are eliminated when patients' perceptions coincide with patients' mental and/or physical states and a significant improvement was observed. Coincidental improvement alone (3) does not explain the many cases observed during these years, some, are aware of their condition
chronic symptoms. Improvement due to autosuggestion (4) can be eliminated as the patients did not know that they were being removed by absent healing. As to alternatives 5, 6 and 7, it is noteworthy that they receive by means of black magic procedures
-world ESP". However, what we are reporting here is that a patient who is unaware of their condition, they might also use
logical disorders. The mere perception by the sensitives of not emotionally involved with the patient
emotional states or symptoms by means of telepathy, clairvoyance or "this-world ESP" would not have removed them. Improvement happened after our work with the theta agent or agents involved.

Concerning "B" and "C": After the above discussion the only patient that might be said is that patients improve due to autosuggestion. However, when the patient does not know he is being treated still improves, autosuggestion is eliminated. When patients are aware of the absent healing autosuggestion cannot be totally eliminated, but it would be only one single component of a group of factors responsible for his improvement.

Conclusion:

Our experience leads us to take into account in a more extended the individual vs. environment. We have noticed that environmental influences can be twofold: a) originating from the environment received through physical senses and b) originating from another of reality suggested by the presence of theta agents manifested through sensitives. In view of this and according to our experience treatment should be applied on two levels: psychoterapeutic and "spiritual".

The success of this latter type of therapy depends on the same factors and variables that also intervene in traditional therapy. The acceptance of another level or reality helps to understand patient's reality more holistically, as one level complements the other. This approach, however, should not be considered a minor way of healing. For example, if a theta agent that has been enclosing a patient for some time is removed, its removal always cause the immediate elimination of the effects, because to his maladjustment, the patient himself has thrown up defenses deal with his own problems. That is why psychotherapy is basing on this type of treatment.

It is also important to emphasize that when using this type approach as an aid to psychotherapy and before placing the patient next to a sensitive, the psychotherapist should know his path very well, be aware of his internal resources, and should carefully evaluated the prognosis of a traditional treatment.

Patients that were unaware that they were given absent healing
Patients that knew that they were being given absent healing

C) with patients that were being treated in the presence of theta waves

Concerning "A": alternatives 1 and 2 are eliminated when patient is unaware of absent healing. The sensitives' perceptions coincide with patients' mental and/or physical states and a significant improvement was observed. Coincidental improvement alone (3) does not explain the many cases observed during these years, some chronic symptoms. Improvement due to autosuggestion (4) can be eliminated as the patients did not know that they were being healed by absent healing. As to alternatives 5, 6 and 7, it is natural for sensitives to obtain information by telepathy, clairvoyance or "this-world ESP". However, what we are reporting here is that a significant improvement occurred in patients that had been presenting psychological disorders. The mere perception by the sensitives of emotional states or symptoms by means of telepathy, clairvoyance or "this-world ESP" would not have removed them. Improvement happened after our work with the theta agent or agents involved in the case.

Concerning "B" and "C": After the above discussion the only factor that might be said is that patients improve due to autosuggestion. However, when the patient does not know he is being treated, still improves, autosuggestion is eliminated. When patients are aware of the absent healing autosuggestion cannot be totally eliminated, but it would be only one single component of a group of factors responsible for his improvement.

Conclusion:

Our experience leads us to take into account in a more extended way the individual vs. environment. We have noticed that environmental influences can be twofold: a) originating from the environment perceived through physical senses and b) originating from another level of reality suggested by the presence of theta agents manifested through sensitives. In view of this and according to our experience, treatment should be applied on two levels: psychoterapeutic and "spiritual".

The success of this latter type of therapy depends on the same factors and variables that also intervene in traditional therapy. The acceptance of another level of reality helps to understand the patient's reality more holistically, as one level complements the other. This approach, however, should not be considered a minor way of healing. For example, if a theta agent that has been inducing a patient for some time is removed, its removal does not always cause the immediate elimination of the effects, because to his maladjustment, the patient himself has thrown up defenses to deal with his own problems. That is why psychotherapy is based on this type of treatment.

It is also important to emphasize that when using this type of approach as an aid to psychotherapy and before placing the patient next to a sensitive, the psychotherapist should know his patient very well, be aware of his internal resources, and should all carefully evaluated the prognosis of a traditional treatment.

any type of treatment, the patient's active participation towards his recovery. He has to be made aware of his ability for what is happening, so that he can avoid tuning theta agents that may trigger or aggravate his maladjustment. Absolute or relative success of this combined therapy depends, on the patient's age, the length of traditional psychotherapy, on the patient's age, the length of maladjustment, his internal resources, environment, etc. It can be applied at a distance or in the patient's presence. The number of weekly psychotherapeutic sessions influence the results, intervals between such "spiritual" treatment can also be the end result. Balance between these two types of therapy therefore, also be evaluated in each case.

See:

J. and Samuel, A. Healing at a Distance: Some Evidences of Theta Agent Influence in Psychological Disturbances. Proceedings of the Third International Conference on Psycho-Research, Tokyo, 1977, Vol. II, 481