



Department of HEALTH, EDUCATION, AND WELFARE • Public Health Service  
NATIONAL INSTITUTES OF HEALTH

IN REPLYING ADDRESS THE  
NATIONAL INSTITUTE OF MENTAL HEALTH  
ADDICTION RESEARCH CENTER  
U.S. PUBLIC HEALTH SERVICE HOSPITAL  
P. O. Box 2000  
LEXINGTON, MA

25 June 1957

105

(b)(3)

I am enclosing copies of the following reports which I think will interest you:

1. Comparison of ALD-52 and LSD-25,
2. Comparison of MLD-41 and LSD-25,
3. Attempted Blocking of LSD-Reaction by Pretreatment with BOL.

As you will note, MLD is a psychotomimetic agent which, however, is considerably less potent than LSD, whereas ALD is at least as potent as LSD. We were again unsuccessful in obtaining any significant degree of blocking of the LSD-reaction by pretreatment with BOL. I am, therefore, dropping this line of investigation unless you feel that I should study some other dosage schedule.

Attempted blocking of the LSD-reaction with dibenzylamine, the adrenolytic drug, is now in the preliminary stage. All I can say at the moment is that we have had no untoward effects when 0.5 mgm./kg. of LSD was given two hours after 1 mg./kg. of dibenzylamine.

I too am sorry that I will not be going to Europe, but my work schedule is so heavy that I cannot spare the time.

Very sincerely,

*Harris Isbell*  
Harris Isbell, M. D.  
Director

Hl:ra

Enclosures

A371