

YUSECHENKO, L.

Can we agree with comrade B.† Sov.foto 20 no.10:22-23 0'60. (MIRA 13:10)
(Photography--Periodicals)

OMEL'CHENKO, A.A., inzhener; YUSHCHENKO, L.A., inzhener.

MS-5 machine for weaving mats. Sel'khoz mashina no.9:12-14 S '56.
(MLRA 9:11)

1. Gosudarstvennoye spetsial'noye konstruktorskoye byuro po vodo-
khozaystvu.
(Weaving)

YUSHCHENKO, Lev Andreyevich; DMITRIYEVA, L.A., red.; KLYUCHEVA, T.D.,
tekh. red.

["The road"] Doroga. Moskva, Izd-vo "Sovetskaya Rossiya," 1961.
68 p. (MIRA 14:12)
(Siberia--Railroads)

YUSHCHENKO, M.D., kand.istor.nauk

Documents of a great historical importance. Nauka i zhyttia
11 no.7:1-2 J1 '61. (MIRA 14:8)
(Russia--Economic policy)
(Communism)

YUSHCHENKO, M.P.

127-58-6-22/25

AUTHORS: Yushchenko, M.P., Head of Transport Department and Mikhaylov, G.A., Chief Engineer of the Department

TITLE: Use of Heavy Trucks in the Sorskiy Combine (Primeneniye bol'shegruznykh avtomashin na Sorskom kombinat)

PERIODICAL: Gornyy Zhurnal, 1958, Nr 6, pp 76-77 (USSR)

ABSTRACT: The authors describe the use of large dump trucks MAZ-525 for removal work at the Sorskiy Combine. They also describe the organization of a working brigade and its everyday routine. Though the work of the trucks is quite satisfactory, the authors complain of many constructive and technological defects in the trucks themselves. The chassis, axles and other parts are often broken because of the use of low graded steel in their construction. Many other parts are also badly adjusted.

AVAILABLE: Library of Congress

Card 1/1 1. Trucks-Maintenance 2. Earth moving equipment

YUSHCHENKO, M.^P; MIKHAYLOV, G.

Experience in operating the MAZ-525 motortrucks. Avt. transp. 36
no.3:10 Mr '58. (MIRA 11:3)

1. Transportnyy tsekh Sorskogo kombinata.
(Motortrucks)

USSR / Human and Animal Physiology (Normal and Pathological). Blood Circulation. Heart T

Abs Jour: Ref Zhur-Biologiya, No 21, 1958, 97518

Author : Vishnevskaya, O. P., Yushchenko, N. A.

Inst : Not given

Title : On the Question of Mechanism of Development of Adrenalin Myocarditis

Orig Pub: Byul. eksperim. biol. i med., 1957, 44, No 8, 33-38

Abstract: Myocarditis arises in rats by introduction of 0.5 ml of adrenaline (concentration of solution is not indicated). Removal of cerebral cortex sharply increased the degree of myocarditis development. Transsection of spinal cord on the level of C₈ - Th₁ hindered the development of adrenaline myo-

Card 1/2 Lab. Histophysiology, Inst. Exptl. Biol AMS USSR +
Lab Exptl. Biol, Therapy, AMS USSR, Inst. Normal & Pathological Physiology -

YUSHCHENKO, N.A.

USSR/Human and Animal Physiology - Circulation.

V-4

Abs Jour : Ref Zhur - Biol., No 4, 1958, 18127

Author : N.A. Yushchenko

Inst :

Title : The Problem of Experimental Coronary Insufficiency.

Orig Pub : Doklady AN SSSR, 1957, 112, No 4, 782-784

Abstract : Experimental atherosclerosis was produced in 15 rabbits by feeding them cholesterol for 2 months (1% of the daily ration). Thirty days after the conclusion of the cholesterol feedings, the vagus nerve was stimulated in the neck region by injecting small doses of turpentine beneath the epineurium. The greatest changes (in comparison with the controls) in the EKG on the standard and chest leads, which were characteristic for impaired cardiac circulation (distortion of the ST interval, negative T wave, spitting of the ventricular complex), were observed among those animals

Card 1/2

*Annot. Normal + Pathological Physiology
AMS USSR*

USC/ Human and Animal Physiology - Circulation.

V-4

Abs Jour : Ref Sur - Biol., No 4, 1958, 18127

with atherosclerosis. Chronic stimulation of the vagus nerve increased the disturbance to coronary circulation in the presence of experimental atherosclerosis.

Card 2/2

YUSECHENKO, N.A.

Induction of atherosclerosis in rabbits. Biul. eksp. biol. i med. 47 no.
3:31-33 Mr '59. (MIRA 12:7)

1. Iz laboratorii eksperimental'noy terapii (zav. - doktor meditsinskikh
nauk A. M. Chernukh) Instituta normal'noy i patologicheskoy fiziologii
(dir. - deystvitel'nyy chlen AMN SSSR V. N. Chernigovskiy) AMN SSSR,
Moskva. Predstavlena deystvitel'nym chlenom AMN SSSR N.N. Anichkovym.
(ARTERIOSCLEROSIS, exper.
induction in rabbits (Rus))

ALEKSANDROV, P.N.; CHERNUKH, A.M.; YUSHCHENKO, H.A. (Moskva)

A 24-hour differential actograph. Pat. fiziol. i eksp. terap.
6 no.3:73-74 My-Je'62 (MIRA 17:2)

1. Iz otdela khimioterapii (zav. - prof. A.M.Chernukh) Insti-
tuta farmakologii i khimioterapii (direktor - deystvitel'nyy
chlen AMN SSSR prof. V.V. Zakusov) AMN SSSR.

CHERNUKH A.M.; YUSHCHENKO, N.A.; ALEKSANDROV, P.N. (Moskva)

Effect of the antitubercular preparation trecator (Th1314) on
the 24-hour alimentary activity in healthy and vagotomized
rats. Pat. fiziol. i eksp. terap. 6 no.6:56-60 N-D'62
(MIRA 17:3)

1. Iz otdela khimioterapii (zav. - prof. A.M.Chernukh) Insti-
tuta farmakologii i khimioterapii (dir. - deystvitel'nyy
chlen AMN SSSR prof. V.V. Zakusov) AMN SSSR.

CHERNUKH, A.M.; YUSHCHENKO, N.A.

Effect of tetracycline on general motor and food activity
of animals during the development of experimental focal
infection. Antibiotiki 7 no.4:349-352 Ap '62. (MIRA 15:3)

1. Otdel khimioterapii Instituta farmakologii i khimioterapii
AMN SSSR.

(TETRACYCLINE)
(MOVEMENT (PHYSIOLOGY))

(FOCAL INFECTION)
(DIGESTION)

ALEKSANDROV, P.N.; TOLMACHEVA, N.S.; YUSHCHENKO, N.A.

Effect of temperature factors on the concentration of tetracycline in the blood and organs of white rats. Antibiotiki 7 no.10:888-891 0*62 (MIRA 16:12)

1. Otdel khimioterapii (zav. - prof. A.M.Chernukh) Institute farmakologii i khimioterapii AMN SSSR.

YUSHCHENKO, N.G,

"Dosimetry for X-rays and Gamma-rays" p. 279, in the book Experience in the Use of Radioactive Isotopes in Medicine R. Ye. KAVETSKIY and I.T. SHEVCHENKO, publishing House of the UKRAINIAN SSR, KIEV 1955, represents medical transactions of conference held in KIEV from 18-20 January 1954.

So: 1100235

YUSHCHENKO, H.G.

Dosimeter for roentgen and gamma rays. Vest.rent.i rad. no.1:69-
75 Ja-F '55. (MIRA 8:5)

1. Iz Fiziko-tehnicheskogo otdela Kiyevskogo nauchno-issledovatel'-
skogo rentgeno-radiologicheskogo instituta (dir. prof. I.T.Shev-
chenko).

(ROENTGEN RAYS, dosage,
dosimeter)

(RADIATIONS, dosage,
gamma rays, dosimeter)

YUSHCHENKO, N.G. | OVCHCHNIKOV, M.S.

Device for X-ray irradiation (with an abrupt decrease of the
dose) of large external pathological foci. Uch.zap. KRROI 7:
94-100'61. (MIRA 16:8)

(X RAYS—EQUIPMENT AND SUPPLIES)

YUSHCHENKO, N.G.; BUTSIK, M.G.

Aeroion counter and generator. Uch.zap. KRROI 7:157-163'61.
(MIRA 16:8)

(AIR, IONIZED--EQUIPMENT AND SUPPLIES)

U 50527-65 OGA(h)/EW(m)

ACCESSION NR: AP5214303

UR/0241/65/110/006/0083/0085
616-073.75(117)+616-073.755.9

AUTHOR: Yuchchenko, N. I.

18
170

TITLE: Electrometric device to measure the integral absorbed energy of X and gamma radiation.

SOURCE: Meditsinskaya radiologiya, v. 12, no. 5, 1965, 83-85

TOPIC TAGS: X-ray, gamma ray, electrometer, radiation energy measurement, *101*

ABSTRACT: The radiation load on the body as a whole cannot be determined from the value of the dose in the skin because the biological effect of radiation is related primarily to the amount of absorbed energy. The author has constructed a device ~~that automatically calculates the amount of energy for X and gamma rays absorbed in~~ the human body during irradiation based on the difference in the energies measured at the input and output in different directions. The device consists of 3 flat ionization chambers and an electrometric system that calculates the difference between the ionization currents passing through the chambers during irradiation. The ~~ionization chambers are not in a plane perpendicular to the direction of the central~~

Card 1 of 2

L 58527-69

ACCESSION NO: AP6119300

beam of radiation. The first chamber (10 x 10 x 1 cm) is placed in front of the object being investigated and it measures the energy of the primary beam striking the object. The second chamber (50 x 50 x 1 cm) is also placed in front of the object and it measures the energy scattered by the object in the opposite direction. The third chamber (same size) is placed behind the object and it measures the energy of the X or gamma rays that pass through the object. The second and third chambers are interconnected in parallel, thus enabling them to measure the energy flowing from an object in different directions. Orig. art. has: 1 figure.

ASSOCIATION: Kiyevskiy nauchno-issledovatel'skiy rentgeno-radiologicheskiy i onkologicheskiy institut (Kiev Scientific-Research Institute of Roentgen-Radiology and Oncology)

SUBMITTED: 00

ENCL: 00

SUB CODE: LS, NP

NO REF SOV 000

OTHER: 000

Card 2/2

YUSHCHENKO, N. P., Cand Biol Sci -- (diss) "^{The drying}~~Dessication~~ and
~~storage~~ ^{storage} ~~preservation~~ of semen of ^{an} ~~farm~~ animals in a dried state."

Mos, 1957. 15 pp (All-Union Sci Res Inst of Animal Husbandry)

(KL, 1-58, 117)

YUSHCHENKO, H.P.

Proof of the possibility of keeping mammal spermatozoa in a dried state. Dokl. Akad. sel'khoz. 22 no.6:37-40 '57. (MIRA 10:9)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut zhiivotnovodstva.
Predstavlena akademikom V.K. Milovanovym.
(Spermatozoa)

YUSHCHENKO, N., kand. biol. nauk

Drying as a new method of preserving animal semen. Nauka i
pered. op. v sel'khoz. 9 no. 3:45-48 Kr '59. (MIRA 1215)
(Semen--Preservation)

YUSHCHENKO, N., kand.biol.nauk

Conservation prevents the introduction of artificial insemination. Nauka i pered.op.v sel'khoz. 9 no.9:73-75 S '59.
(MIRA 13:2)

(Artificial insemination)

YUSHCHENKO, Nikolay R.
YUSHCHENKO, Nikolay Romanovich; KULAYEV, Konstantin, Vladimirovich;
KRIVENKO, Boris Akimovich; PAKOV, V.I., inzhener, redaktor;
YUDSON, D.M. tekhnicheskij redaktor.

[Over-all technology of shunting stations; practice of the
Mizhnedneprovsk Uzel station on the Stalinoline] Kompleksnaia
tekhnologiya sortirovochnoi stantsii; opyt stantsii Mizhne-
dneprovsk Uzel Stalinskoi dorogi. Moskva, Gos.transp.zhel-dor
izd-vo, 1955. 45 p. (MLRA 8:11)
(Railroads--Making up trains)

YUSHCHENKO, N.R., professor, doktor tekhnicheskikh nauk (Dnepropetrovsk)

A book needed by designers ("Manual for railroad station and
junction designers." S.V. Zemblinov, I.I. Strakovskii. Reviewed
by N.R. Iushchenko). Zhel.dor.transp. 37 no.7:95-96 J1 '56.
(MLRA 9:8)

(Railroads--Stations)

(Zemblinov, S.V.)

(Strakovskii, I.I.)

YUSHCHENKO, N.R.

YUSHCHENKO, N.R., professor, doktor **tekhnicheskikh nauk**; DEYURA, A.M., kandidat **tekhnicheskikh nauk**; MIKULIN, I.I., kandidat **tekhnicheskikh nauk**; KARNOVSKIY, A.I., kandidat **tekhnicheskikh nauk**; FIKSSEVICH, L.I., kandidat **tekhnicheskikh nauk**; KURBATOV, M.M., kandidat **tekhnicheskikh nauk**; SHAFIT, Ye.M., kandidat **tekhnicheskikh nauk**; YAGODINSKIY, Ye.G., kandidat **tekhnicheskikh nauk**; SAVVIN, B.M., kandidat **tekhnicheskikh nauk**.

Another volume of the Engineering Reference Encyclopedia on problems of operating railroads. Reviewed by N.R. Yushchenko and others. Zhel.dor.transp. 19 no.7:92-95 J1 '87. (Para 10:2)
(Railroads--Management)

~~YUSHCHENKO, N.R., prof., doktor tekhn.nauk; ORLOVSKIY, P.N., inzh.~~
~~(Dnepropetrovsk)~~

Improvements in the utilization of switcher locomotives in
classification yards. Zhel. dor. transp. 40 no.9:33-37 S '58.
(MIRA 11:10)

(Railroads--Yards)

(Railroads--Locomotives)

YUSHCHENKO, N.R., doktor tekhn. nauk prof.; MEHNEVICH, L.N., kand. tekhn. nauk dots.; SHAFIT, Ye.M., kand. tekhn. nauk dots.

Some aspects of organization in moving large earth masses by rail.
Trudy DIIT no.28:5-33 '59. (MIRA 13:2)

1. Nachal'nik Dnepropetrovskogo instituta inzhenerov zheleznodorozhnogo transporta (for Yushchenko).
(Railroads--Earthworks) (Earth work)

YUSHCHENKO, N.R., doktor tekhn. nauk prof.; TESLENKO, G.I., inzh.

Increasing the processing capacity of classification humps by
applying the practices of the station at Hizmedneprovsk Junction.
Trudy DIIT no.28:125-135 '59. (MIRA 13:2)

L.Nachal'nik Dnepropetrovskogo instituta inzhenerov zheleznodorozhnogo
transporta (for Yushchenko).
(Railroads--Hump yards)

YUSHCHENKO, N.R., doktor tekhn.nauk prof.; ORLOVSKIY, P.N., aspirant

Analysis of switching operations and potentialities of switch
locomotive utilization in hump yards. Trudy DIIT no.28:65-83
'59. (MIRA 13:2)

1.Nachal'nik Dnepropetrovskogo instituta inzhenerov zheleznodorozhno-
go transporta (for Yushchenko).
(Railroads--Making-up trains)

YUSHCHENKO, N.R., doktor tekhn.nauk, prof.; SHAPIT, Ye.M., kand.tekhn.nauk,
gotssnt

Methodology for conducting experimental observations in the study
of the conditions of the rolling down of cars from humps (using
telemetric apparatus). Trudy DIIT no. 418-29 '62. (MIRA 17:2)

YUSHCHENKO, N.R., doktor tekhn. nauk, prof.

Foreword. Trudy DIIT no.43:3-4 '63.

(MIRA 17:11)

1. Rektor Dnepropetrovskogo instituta inzhenerov zheleznodorozhnogo
transporta.

YUSHCHENKO, N.R., prof. doktor tekhn. nauk (Dnepropetrovsk);
SHAFIT, Ye.M., kand. tekhn. nauk (Dnepropetrovsk)

Sorting of six-~~axle~~ cars in hump yards and the braking
characteristics of retarders. Zhel. dor. transp. 45 no.5;
78-81 My '63. (MIRA 16:10)

YUSHCHENKO, N.R., doktor tekhn. nauk, prof. (Dnepropetrovsk); BADYUL, B.K.,
kand. tekhn. nauk, dotsent (Dnepropetrovsk); YEGORSHINA, Ye.G., kand.
tekhn. nauk, dotsent (Dnepropetrovsk); STEPANOV, V.V., kand. tekhn.
nauk, dotsent (Dnepropetrovsk); PAPAKHOV, Yu.V., assistant (Dnepro-
petrovsk); BERESNEV, S.Ye., inzh. (Minsk)

Merits and shortcomings of the textbook on the mechanization of
loading and unloading operations, Zhel dor. transp. 45 no.7:
92-94 J1 '63. (MIRA 16:9)

1. Nachal'nik otdela gruzovoy sluzhby upravleniya Belorusskoy
dorogi (for Beresnev).

1250
1327
1329
16.6500

1253
16.3500

33871
S7696/61/001/000/005/007
D231/D304

AUTHORS: Ostapenko, V. M. and Yushchenko, O. A.

TITLE: On a method of solving boundary-value problems on a continuous-action computer

SOURCE: Akademiya nauk Ukrayins'koyi RSR, Obchyslyuval'nyy tsentr. Zbirnyk prats' z obchyslyuval'noyi matematyky i tekhniky, v. 1, 1961, 86-95

TEXT: The authors discuss a method of solving boundary-value problems for systems of differential equations with constant coefficients by means of an МПТ-9 (MPT-9) continuous-action computer. It is supposed that the equations are linearly independent. The principle of the method consists in establishing the greatest root of the characteristic equation by means of the continuous-action computer, and by analytic methods of the first integral of the system with consequent reduction of the order of the system. The method of determining the maximum root follows that of I. I. Eterman and M. I. Obuvain (Ref. 3: Avtomatika i telemekhanika, v. T

Card 1/2

33871

S/696/61/001/000/005/007
D231/D304

On a method of solving ...

XVI, no. 6, 1955). It is shown that the accuracy of this method is of a high order. It is stated that the method may be applied to the system of linearly-independent partial differential equations with constant coefficients which arise in the problem of the flexure of a uniformly loaded freely hinged rectangular plate, and to other biharmonic cases. The case of such a plate is considered as an example. There are 5 figures and 3 Soviet-bloc references. ✓

Card 2/2

1. YUSHCHENKO, O. A.
2. USSR (600)
4. Ceramic Industries
7. Supersonic treatment of ceramics. (Review). Dickinson "Ceramic Age" no. 58 August 1952, Stek. i ker., 9, No. 11, 1952.

9. Monthly List of Russian Accessions, Library of Congress, February 1953, Unclassified.

TEMCHENKO, M.Ye.; YUSHCHENKO, O.A.; ISHLINS'KYY, O.Yu., diyanny ohlen.

Stresses in a binding layer (glue, welds, fretwork). Dop. AN URSR no. 5:365-369 '53. (MLRA 6:10)

1. Akademiya nauk Ukrayins'koyi RSR (for Ishlins'kyy). 2. Instytut matematyky Akademiyi nauk Ukrayins'koyi RSR (for Temchenko and Yushchenko). (Strains and stresses)

YUSHCHENKO, O.A.

Vibrations near the end of elastic variable-mass strings. Dep.
AN URSS no.6:529-532 '55. (MIRA. 9:6)

1. Institut matematiki AN URSS. Predstaviv diyenly chlen AN URSS
O.Yu.Ishlins'kiy.
(Vibration)

YUSHCHENKO, O.A.

A case of axis symmetrical deformation under conditions of pure plasticity. [with summary in English]. Dop. AN URSR no.1:18-22 '57. (MLRA 10:4)

1. Institut matematiki AN URSR. Predstaviv akademik AN URSR O.Yu. Ishlins'kiy.
(Deformations (Mechanics))

LEVINSON, B.; SIVOZHELEZOV, G.; YUSHCHENKO, P.

Centralized maintenance and repair of electrical devices. Avt.
transp. 41 no. 2:20-21 F '63. (MIRA 16:2)
(Motor vehicles—Electric equipment)

KHABLO, I.; GAPANOVICH, N.; LEVINSON, B.; YUSHCHENKO, I.


Centralized maintenance and repair of storage batteries is
efficient. Avt. transp. 43 no.1:32-33 Ja '65. (MIRA 18:3)


YUSHCHENKO, P. S.

Fish Culture

New apparatus for incubating sturgeon roe. Ryb. khoz., 28, No. 5, 1952.

MONTHLY LIST OF RUSSIAN ACCESSIONS, LIBRARY OF CONGRESS, OCTOBER 1952. UNCLASSIFIED.





YUSHCHENKO, S.A.

LOSSIYEVSKIY, V.L.

"Control measuring and regulating instruments in chemical plants."
S.I.Shchepkin. Reviewed by N A.Stroganov, S.A. Yushchenko, V.L.
Lossievskii. Khim.prom.no.4: 127-p.3 of cover. (MIRA 8:12)

1. Starshiy nauchnyy sotrudnik Akademii nauk SSSR.
(Chemical apparatus) (Shchepkin, S.I.)

YUSHCHENKO, T.

Improved feeding unit of the PShM-2 lardon cutter. Mias. ind.
SSSR 34 no.4:47 '63. (MIRA 16:10)

1. Gorlovskiy myasnoy kombinat.

YUSHCHENKO, V.

YUSHCHENKO, V.

Our first achievements. *Kost. ucl. 3* no. 7:4 JI '54. (MLBA 7:7)

1. Mashinist kombayna "Donbase".
(Coal-mining machinery)

L 04460-67 EWT(m)/EWP(t)/ETI IJP(c) JD/WN/JG/WB

ACC NR: AP6020908

SOURCE CODE: UR/0369/66/002/002/0133/0142

AUTHOR: Shehukin, Ya. D.; Yushchenko, V. S.

ORG: Institute of Physical Chemistry, AN SSSR, Moscow (Institut fizicheskoy khimii AN SSSR)

TITLE: Relationship between the selectivity of adsorption-induced strength deterioration under the effect of liquid metals and interatomic reactions

90
67
B

SOURCE: Fiziko-khimicheskaya mekhanika materialov, v. 2, no. 2, 1966, 133-142

TOPIC TAGS: metal surface, metal melting, liquid metal, ductility, electron structure, phase diagram

ABSTRACT: Adsorption-induced reduction of the free surface energy of solids at the solid-gas or solid-liquid interface and its effect on the processes of deformation and fracture of solids are two of the main problems of the physicochemical mechanics of materials. Liquid metal-induced embrittlement of solid metals is of particular interest, since it represents a case of relatively "pure" adsorption effect, physically reversible and free from accompanying phenomena (for instance, general corrosion in the case of stress corrosion). These phenomena have been studied thoroughly and therefore represent the easiest direction for further research on the nature and mechanism of the adsorption-induced intensification of deformation and

U4860-57

ACC NR: AP6020908

fracture of solids.

The effect of molten metals on mechanical properties of solid metals has been the subject of intensive studies by Soviet and Western scientists during the last decade. Many of these studies have shown that the character and intensity of the phenomena resulting from the adsorption-induced reduction of free surface energy depend on numerous physicochemical and mechanical factors. These factors can be divided into three main groups: 1) factors closely related to the interatomic reactions, such as chemical composition of solid and liquid phases, affinity of components with each other, and the crystal lattice of solid metals; 2) factors associated with the microstructure of the solid metal, such as structure of grain boundaries and presence of dislocations and other structural defects; and 3) kinetic factors, such as temperature of the liquid medium, deformation rate, method of stressing, and duration of the contact between solid and liquid metals. Most of the research effort has been devoted to the second and third group, although the first group is the most interesting, since it represents the factors which predetermine the very possibility of a reaction between a liquid and a solid metal, i. e., the selectivity in the effect of the given liquid metal on solid metals and alloys. The present study is an attempt to fill the gap and to establish some ways for at least approximate quantitative evaluation of the part played by interatomic

L 04450-57

ACC NR: AF6020908

reactions in the reduction of solid metal strength by liquid metals. 5

According to the concepts of P. A. Rebinder's school, the microscopic effect of interatomic reactions in the liquid metal-induced deformation of a solid metal appears as a more or less intensive reduction of free surface energy of solid metal, σ , at the solid metal-liquid metal interface. Since deformation and fracture of a solid are always associated with the generation of new free surfaces, every reduction in the magnitude of σ , i. e., of the work required for the generation of new surfaces, intensifies and accelerates the processes of deformation and fracture. Several approaches have been used in the approximate evaluation of σ .

An investigation of brittle fracture of ²⁷zinc single crystals 1 mm in diameter, either coated with a thin layer of mercury or gallium and tested at room temperature or uncoated and tested at liquid nitrogen temperature, showed that in both cases the strength is characterized by the same invariant magnitude $K = (P_c \tau_c)^{1/2}$, where P_c and τ_c are respective values of normal and shearing stresses in the cleavage plane. Also $K = \text{const} \cdot \sigma^{1/2}$. The value of σ calculated from the experimental data was 800 erg/cm² for uncoated and 120—200 erg/cm² for mercury- or gallium-coated single crystals. p. 6

Card 3/8

L 04450-67

ACC NR: AP6020908

Investigation of the fracture stress dependence on the grain size established the magnitudes of σ for iron in liquid lithium and brass in mercury as 730 and 280 erg/cm², respectively, compared with 1000 and 1525 erg/cm² for iron-iron vapor and brass-brass vapor interfaces. 5

The respective magnitudes of σ at copper-liquid bismuth and brass-liquid bismuth interfaces were evaluated from the temperature of transition from brittle to ductile behavior and were found to be 90-160 and 500-900 erg/cm². Evaluation based on the magnitude of the dihedral angle at the interface between liquid metal and two grains of solid metal yielded magnitudes of 280 erg/cm² for copper-bismuth and 330 erg/cm² for brass-bismuth.

A direct determination of σ by the Tamman-Udin method showed that σ of zinc coated with gallium drops to 200 erg/cm².

These and numerous other results show clearly that in all the cases when a contact of a solid metal with a liquid metal causes a deterioration of the former the magnitude of σ drops sharply. On the other hand, a solid metal could be expected to retain its strength and ductility if the magnitude of σ remains unaffected by the contact with a liquid metal. In a general case involving a liquid adsorption-active metal A being in contact with a solid metal

Cont 1/8

L 04460-67

ACC NR: AP6020908

B, the part played by interatomic reactions A-A, B-B, and A-B in the deterioration of metal B amounts to a gradual weakening, breakdown, and rearrangement of the B-B atomic bonds. Analysis of several A-B binary systems revealed that the deterioration of B occurs, as a rule, if A and B have a simple eutectic-type phase diagram with a relatively low solubility of A in solid B. In all such systems the heat of mixing is positive, which indicates that the bonds in the B-A-B chain are considerably weaker than in the B-B-B chain or, in other words, that atoms of liquid A facilitate the breakdown of the B-B bonds. 0

The heat of mixing has been determined experimentally for numerous binary systems, including those of the above A-B type. This has opened the way for further development of the thermodynamic method for an approximate quantitative analysis of the interatomic reactions and the part they play in the effect of liquid metals on solid metals.

All the concepts discussed above are, of course, of a phenomenological nature. A direct solution of the problem, i. e., an evaluation of reaction forces based on the specific features of electron structure of the metals involved and their solutions would naturally be much more interesting. At

Card 5/8

L 04460-67

ACC NR: AP6020908

present, such a direct approach is still unrealistic because of the lack of necessary data. It is possible, however, to establish a relationship between the way a liquid metal affects a solid metal and the electron structure of both metals involved. The first such attempt was made by the authors and their co-workers, who found that, in all but a few cases in which liquid metal A brought about an embrittlement of a solid metal B, both A and B were nontransition metals, e. g., copper-lithium, copper-bismuth, aluminum, indium, germanium, gallium, and many others, which have no partially filled inner shells. However, this is not the only factor which determines the qualitative and quantitative nature of the interatomic reactions. Atomic (ionic) radius, valency, crystal lattice, and electronegativity are all of importance. For instance, in all binary systems in which the adsorption-induced effects were observed, the atomic radii of components differed by 10—15%. No deterioration of copper in liquid cadmium (the atomic radii differ only slightly) was observed, even though both are nontransition metals. Some other interesting deviations were also noted. Pure iron (transition metal) is not susceptible to deterioration under the effect of liquid metals. However, liquid alkali metals, some solders, and bearing alloys lower significantly the strength of steels. Mercury causes embrittlement of

Card 5/8

I. 04460-67
ACC NR. AP6020908

Constantan (60% copper, 40% nickel) but does not affect either component. D

Thus the specific nature of the interatomic reactions, which is responsible for a sharp decline of the free surface energy and, consequently, for a deterioration of mechanical properties of a solid metal exposed to a contact with a liquid metal, can be definitely attributed to three factors, i. e., the electron structure, the magnitude of the heat of mixing, and the type of phase diagram.

It could be assumed that all the above aspects are applicable not only to a solid metal-liquid metal interface but also to the case of an excess concentration of component A in the surface layer of a solid metal B in vacuum or in air. Experiments showed that a sharp decline in free surface energy may occur under such conditions.

The liquid metal-induced deterioration of solid metals may also occur when the concentration of liquid metal atoms in the region of the crack propagation is below the equilibrium concentration. In this case the actual effect of liquid metal will be considerably stronger than could be expected from the drop of surface energy calculated under static conditions. The

Card 7/8

L 04450-67

ACC NR: AP6020908

amount of liquid metal supplied to the front of a propagating crack is another factor which should be taken into consideration. This amount can be greatly reduced by the diffusion of liquid metal into the solid metal. In case the supply of liquid metal is limited the crack would stop, not because of the low activity of the liquid metal but because of an insufficient concentration.

Orig. art. has: 2 formulas and 1 table. [FSB: v. 2, no. 9]

SUB CODE: 11, 20 / SUBM DATE: 26Jan66 / ORIG REF: 048 / OTH REF: 024

surface - active agents

Card 8/8

YUSHCHENKO, YE, L.

Call Nr: AF 1108825

Transactions of the Third All-union Mathematical Congress (Cont.) Moscow, Jun-Jul '56, Trudy '56, V. 1, Sect. Rpts., Izdatel'stvo AN SSSR, Moscow, 1956, 237 pp. There is 1 French reference.

Section of Computer Mathematics.

192-198

Reports of the following personalities are included:

Blagoveshchenskiy, Yu. V. (Kiyev). On Some Approximate Methods of the Solution of Partial Differential Equations. 192

Korolyuk, V. S. (Kiyev), Yushchenko, Ye. L. (Kiyev). Determination of Contour of the Function of Two Variables on Quick-acting Electronic Calculating Machines. 192

Kulagina, O. S. (Moscow). On Translation by Machinery From French Into Russian. 192-193

Lyapunov, A. A. (Moscow). On Logical Program Charts. 193

Neyshuler, L. Ya. (Moscow). Tabulation of Functions and Applications. 193-194
Card 62/80

YUSHCHENKO, YE. L., Cand. in Phys. Math. Sci. nad KOROLYUK, V. S., Cand. in Phys. Math. Sci.

"Determination of the Level Line of a Function of 2 Variables on a High Speed Electronic Computing Machine" a paper presented at the Conference on Methods of Development of Soviet Mathematical machine-Building and Instrument-Building, 12-17 March 1956.

Translation No. 596, 8 Oct 56

YUSHCHENKO, Ye. L.

STREL'TSOV, O.A.; YUSHCHENKO, Ye.L.; IVANENKO, L.N.

Solving M.I. Tenkin and V.M. Pyzhev's kinetic equation for
the synthesis of ammonia using an electronic computer (MESM).
Ukr.khim.zhur. 23 no.4:423-430 '57. (MIRA 10:10)

1. Institut fizicheskoy khimii im. L.V. Pisarshevskogo AN USSR 1
Institut matematiki AN USSR.
(Chemical reaction, Rate of)

YUSHCHENKO, Ye.L.

28(2)

p 3

PHASE I BOOK EXPLOITATION

SOV/1345

Akademiya nauk Ukrainskoy SSR. Vychislitel'nyy tsentr

Voprosy vychislitel'noy matematiki i tekhniki (Problems in Computer Mathematics and Technique) Kiyev, Izd-vo AN Ukrainskoy SSR, 1958. 97 p. (Series: Its: Sbornik trudov, vyp. 3) 7,000 copies printed.

Editorial Board: Glushkov, V.M., Doctor of Physical and Mathematical Sciences (Resp. Ed.), Dashevskiy, L.N., Candidate of Technical Sciences, and Shkabara, Ye. A., Candidate of Technical Sciences; Ed. of Publishing House: Kaplan, Ya. L.; Tech. Ed.: Rakhlina, N.P.

PURPOSE: This collection of articles, issued by the Computer Center of the Ukrainian SSR Academy of Sciences, is intended for scientists and engineers in the field of computer mathematics and techniques, and for students of vuzes specializing in this field.

COVERAGE: The collection is devoted to the programming of mathematical problems on electronic computers and to the design of

Card 1/3
3

Problems in Computer Mathematics (Cont.)

SOV/1345

units and components of these machines. A number of the articles contain information on scientific research carried out in 1955-1956, a description of installations already developed and some information on the operation of existing machines. An original method of performing multiplication and division in the arithmetic units of computers is described in the first article. Programming of problems connected with the statistical control of production are discussed in the second paper. The third and fourth articles deal with questions concerning the development of individual units of electronic computers. A description of standard components is given in the fifth and their design for maximum reliability is discussed in the sixth article. The seventh, eighth, and ninth articles explain the design of circuits with semiconductor and magnetic elements and the tenth article deals with problems concerning the operation and maintenance of electron tubes. References appear after each article.

Card 2/3
3

Problems in Computer Mathematics (Cont.)

SOV/1345

TABLE OF CONTENTS:

Pogrebinskiy, S.B., and I.B. Pogrebyskiy. Performing Operations of Multiplication and Division in Electronic Digital Computers

3

The authors describe an improved, shortened method of performing multiplication and division which not only simplifies the construction of arithmetic units of high-speed computers but also considerably increases their speed of operation. There are no references.

Korolyuk, V.S., L.P. Nizhnik, and Ye.L. Yushchenko. Programming of Tables for Optimum Methods of Statistical Acceptance Control

9

The authors refer to A.N. Kolmogorov, who posed the problem of determining a statistical control method which would provide the most economical effect when checking large quantities of products. Practical use of this method requires the establishment of appropriate tables. The

authors explain the procedure for calculating these tables as applicable for programming on the small electronic tabular calculator MESM of the Ukr SSR Acad. Sci.

Card 3/3
3

YUSHCHENKO, YEL

16(1) **PHASE I BOOK EXHIBITION** SOV/2660

Vesoyunny matematicheskiy s'ezhd. 3rd, Moscow, 1956
Trudy t. A: Kratkoye sohraneniye svezitsyevich doklady. Doklady
Kongressnykh uchennykh (Transactions of the 3rd All-Union Mathema-
tical Conference in Moscow, vol. 4: Summary of Sectional Reports,
Reports of Foreign Scientists) Moscow, Izd-vo AN SSSR, 1959.
247 p. 2,200 copies printed.

Sponsoring Agency: Akademiya nauk SSSR. Matematicheskii institut.
Tech. Ed.: G.M. Shvachko; Editorial Board: A.A. Abnashov, V.O.
Boltynskiy, A.M. Vasil'yev, D.V. Medvedev, A.D. Nyrkova, S.M.
Sokol'skiy (resp. Ed.). A.O. Postanov, Yu. V. Chistyakov, E.A.
Nybunin, S. L. Ul'yanov, V.A. Uspenskiy, E.G. Chistyakov, G. Ye.
Shilov, and A.I. Shirebov.

PURPOSE: This book is intended for mathematicians and physicists.
COVERAGE: The book is Volume IV of the Transactions of the Third All-
Union Mathematical Conference, held in June and July 1956. The
book is divided into two main parts. The first part contains sum-
maries of the papers presented by Soviet scientists at the Con-
ference that were not included in the first two volumes. The
second part contains the text of reports submitted to the confer-
ence by non-Soviet scientists. In those cases when the non-Soviet sci-
entist did not submit a copy of his paper to the editor, the title
of the paper is cited and, if the paper was printed in a previous
volume, reference is made to the appropriate issue in number theory,
algebra, differential and integral equations, topology, mathematics,
functional analysis, probability theory, computational mathematics,
problems of mechanics and physics, computational mathematics,
mathematical logic and the foundations of mathematics, and the
history of mathematics.

Tushchenko, Ye. L. (Lives), and L. F. Mishnik (Lives). The
programming of one new boundary value problem for a dif-
ference equation of parabolic type 101

Section on the Mathematical Problems of Mechanics 102

Abashev, B. I. (Yerevan). On the plane problem of the theory
of elasticity for a rectangular region 102

Vlasov, V. Z. (Moscow). Method of initial functions in the
theory of thick multilayer plates and shells 102

Osipovskiy, A. I. (Moscow). Formal asymptotic representa-
tion of the integrals of partial differential equations with
small parameter 104

Orlovskiy, G. I. (Moscow). Semilinear vibrations of cylindri-
cal panels in supersonic flow 104

Krasil'nichikov, Ye. A. (Moscow). The method of integral
equations in problems of the theory of a thin wing in com-
pressible flow 106

Card 20/31

GLUSHKOV, Viktor Mikhaylovich [Hlushkov, V.M.], doktor fiziko-matem.nauk;
YUSHCHENKO, K.L., otv.red.; TEPLYAKOVA, A.S., red.

[Control elements in automatic production processes] Keruiuchi
mashyny avtomatyzovanoho vyrobnytstva. Kyiv, 1960. 38 p. (Tova-
rystvo dlia poshyrennia politychnykh i naukovykh znan' Ukrain's'koi
RSR. Ser.5, no.9). (MIRA 13:11)
(Automatic control) (Servomechanisms)

SOKOLOVSKIY, Yuriy Iosifovich [Sokolovs'kyi, IU.I.], dotsent, kand. ped. nauk; YUSHCHENKO, K.L., kand. fiziko-mat. nauk, otv. red.; STA-ROSTENKO, T.M., red.; MATVIICHUK, O.A., tekhn. red.

[How machines calculate, translate books, and play chess] Iak mashyny obchysliuiut', perekladaiut' knyhy i hraiut' u shakhy. Kyiv, 1961. 44 p. (Tovarystvo dlia poshyrennia politychnykh i naukovykh znan' Ukrain's'koi RSR. Ser.6, no.3) (MIRA 14:9)
(Electronic calculating machines) (Translating machines)

YUSHCHENKO, Ye L.

PHASE I BOOK EXPLOITATION

00V/9610

Gnedenko, Boris Vladimirovich, Vladimir Semenovich Korolyuk, and Yekaterina Logvinovna Yushchenko

Elementy programmirovaniya (Programming Elements) Moscow, Fizmatgiz, 1961.
348 p. 25,000 copies printed.

Ed.: L. A. Solov'yeva; Tech. Ed.: N. Ya. Murashova.

PURPOSE: This textbook has been approved by the Ministry of Higher and Special Secondary Education of the RSFSR for schools of higher education. It may also be useful to members of scientific research institutes concerned with computer programming.

COVERAGE: The book contains directions on the programming of automatic digital computers. It reflects investigations made in the field of automation of programming, solutions of logical problems by automatic digital computers, and the operational method proposed by A. A. Lyapunov, Professor, whose lectures at the Moscow University suggested to the authors the basis for this textbook. No personalities are mentioned. There are 29 references, all Soviet (including 3 translations).

Card 1/5

S/044/62/000/009/063/069
A060/A000

AUTHORS: Korolyuk, V.S., Yushchenko, K.L.

TITLE: Problems in theory and practice of programming

PERIODICAL: Referativnyy zhurnal, Matematika, no. 9, 1962, 59, abstract 9V374
("Zb. prats' z obchysl. matem. i tekhn." T. I. Kyiv, AN URSR,
1961, 5 - 30; Ukrainian; Russian summary)

TEXT: A method of programming is set forth, based on the concept of the
addressing algorithm. The method proposed does not depend on the actual fea-
tures of automatic digital computers and admits the automatic realization of al-
gorithms by them.

Author's summary

[Abstracter's note: Complete translation]

Card 1/1

33867
S/696/61/001/000/001/007
D251/D304

16.6800 (1250,1327,1329)

AUTHORS: Korolyuk, V. S. and Yushchenko, K. L.

TITLE: Questions of the theory and practice of programming

SOURCE: Akademiya nauk Ukrayinsk'koyi RSR, Obchyslyval'nyy
tsentr. Zbirnyk prats' z obchyslyval'noyi matematyky
i tekhniky. v. 1, 1961, 3-30

TEXT: The authors set out a scheme of programming which is based on the concept of an address algorithm, and which is independent of the particular features of the automatic digital computer (ADC) and permits the automatic realization of the algorithms in the ADC. The concepts of A. N. Kolmogorov (Ref. 7: UMN, v. 8, no. 4, 1953) concerning programming are stated, and concrete examples of the algorithm for the transformation of information are analyzed. The problem of coding is considered. As the basic material a system S of elements is taken among which structural relationships are established. Examples of possible systems S are given. The concepts of word, alphabet, code and coding system are explained, and the

Card 1/3

33867

S/696/61/001/000/001/007
D251/D304

Questions of the theory ...

method of obtaining a coding system for the problem of the theory of normal algorithms of A. A. Markov (Ref. 1: Trudy matematicheskogo in-ta im. Steklova, v. 42, 1954) is indicated. Although the choice of a coding system for an actual problem will be determined by the conditions of that problem, a general scheme that will be sufficient for all problems which are of interest to the authors is established as follows: A is an alphabet, and S_A the set of words in A , is taken as the set of codes. Following A. P. Yershov (Ref. 4: Programmiruyushchaya programma dlya BESM (Programming Program for BESM), Izd-vo AN SSSR, 1958), it is assumed that the choice of algorithmic operations P is not fixed in S_A . The system of codes is denoted by $\sigma(S_A, P)$. The initial condition of the problem is defined by the reflection A of the codes of the set S into the same set. A is defined either constructively or by a system of the form $Aa = 'a$ (a and $'a \in S$) or by structural laws. In accordance with existing iterative codes, a is called the address of $'a$. The "empty" code Λ is defined as such that when a does not lie in the region

Card 2/3

33867

S/696/61/001/000/001/007
D251/D304

Questions of the theory ...

of definition of A, then $Aa = \Lambda$. The address reflection A is called the condition of the problem. The graph scheme of algorithms proposed by L. A. Kaluzhnin (Ref. 6: Ob algoritimizatsii matematicheskikh zadach problemy kibernetiki, v. 2, FMI, 1958) is discussed. It is stated that the transformation of the condition of the problem lies in the variation of the reflection Λ . The transfer operation is defined such that $a \Rightarrow b$ implies $'b = a$ (a and $b \in \sigma$). The iterative nature of the transformation of A is indicated. Operations allotting the location of the address (line-operations) are discussed. f is taken to be a function in σ , defined by the codes of S, the operations of P and the line-operation. Various examples of f are considered. The construction of a predicative formula is discussed. The basic concept of an address program is established as follows: An address program consists of the initial reflection A in the set of codes S and the sequence of address formulae in the system (S, P') in a known order of application. Schemes are given for the inspection of information, inspection of the sequence of codes, and the simultaneous inspection of the order of the sequence, in typical cases. There are 7 Soviet-bloc references.

Card 3/3

S/696/61/002/000/001/009
D299/D302

9.7100

AUTHOR: Hayedenko, B.V., Hlushkov, V.M. and Yushchenko, K.L.

TITLE: Mathematical parameters of general-purpose digital computer "Kyyiv"

SOURCE: Akademiya nauk Ukrayins'koyi RSR. Obchyslyuval'nyy tsentr. Zbirnyk prats' z obchyslyuval'noyi matematyky i tekhniky, v. 2, 1961, 5-7

TEXT: The mathematical parameters and the elementary operations of the digital computer "Kyyiv" are described. The parameters were chosen so as to enable the solution of a wide range of mathematical and logical problems, and to render programming simple. The main types of problems to be solved by the computer, are: 1) linear- and non-linear systems of differential equations with variable coefficients; 2) partial differential equations; 3) problems involving the use of the Monte-Carlo method; 4) problems of linear algebra, polynomials with several variables, etc; 5) processing of tabulated data; 6) tabulation of functions; 7) non-arithmetical problems, in particular those related to programming. A Card (1/2)

S/596/61/002/000/001/000
D299/D302

Mathematical parameters of ...

fixed-point system is used which is much simpler (than a floating-point one) and facilitates operation of the computer. With regard to digits 10-12 decimal digits (approx. 40 binary) are used. The external memory is of large capacity; the internal memory has 2048 cells, out of which 512 belong to the backing store. Three types of memories are incorporated in the machine: 1) Permanent for storing the most frequently used constants and programs for computing elementary functions ($\sin x$, $\ln x$, etc.); 2) variable-access for the library of subroutines which are connected in case of need; 3) fast-access for program testing error correction, etc. Eleven digits are required for the coding of one address; a three-address system of instructions was adopted. The elementary operations of the computer are as follows: a) Basic arithmetical operations, b) auxiliary arithmetical operation; c) logical operations; d) control operations; e) operations involving the external units (change of codes between the magnetic drum and the working memory, etc.); f) group operations, permitting encoding the cyclical processes in a convenient form. The group operations constitute one of the peculiar features of the computer "Kyyiv"; they are described in detail in a subsequent article (pp. 16-20). There are 5 Soviet-bloc references.

Card 2/2

35205
S/696/61/002/000/003/009
D299/D302

9.7100

AUTHORS:

Korolyuk, V.S., Shkabara, K.O. and Yushchenko, K.L.

TITLE:

Group operations of the computer "Kyyiv"

SOURCE:

Akademiya nauk Ukrayins'koyi RSR. Obchyslyval'nyy tsentr.
Zbirnyk prats' z obchyslyval'noyi matematyky i tekhniky,
v. 2, 1961, 16-20

TEXT: Methods are described for performing group operations on the com-
puter "Kyyiv". Group operations, are special instructions, whereby the
information about performing cyclical programs is given in compact form
by means of a reduced number of codes. Group operations have usually the
purpose of enabling fullest possible use of the backing store instead of
the working store. Assume the cyclical program contains a group of add-
resses which vary from cycle to cycle according to a formula involving
the value d_0 of the initial shift, and the step p of re-addressing. The
number pair (d_0, p) is called parameter. The necessary information for
the cycle consists of: 1) The set of cycle operations in the initial

Card 1/2

S/696/61/002/000/003/009
D299/D302

Group operations of the ...

form; 2) address changes; 3) the parameter. In order to recognize the changed addresses, an additional 12-th digit is used. For this purpose, two operations are introduced: The start of the group operation (SGO), and the end of the group operation (EGO). Further, the encoding and use of these 2 operations is described, whence follows that the operation SGO together with the operation EGO, make it possible to encode cyclical programs which contain parameters on the permanent memory; therefore this method is particularly convenient for cyclical processes with renewals, as well as in the case of a fixed number of cycles. In order to realize the described processes, the control unit incorporates the following devices: A cycle register, an address register, an address adder and a matching device. As variable-access stores are in wide use which in case of need can be incorporated in the internal, backing store of the computer, provisions are made for one more group operation which makes it possible to insert any program into the backing store. The above operations can be performed by increasing only slightly the number of elements of the control unit of the computer. Two examples are given, illustrating the method. There are 3 Soviet-bloc references. X

Card 2/2

35206

S/696/61/002/000/004/009
D299/D302

9.7100

AUTHOR: Yushchenko, K.L.

TITLE: Address algorithms and digital computers

SOURCE: Akademiya nauk Ukrayins'koyi RSR. Obchyslyuval'nyy tsentr.
Zbirnyk prats' z obchyslyuval'noyi matematyky i tekhniky,
v. 2, 1961, 21-25

TEXT: Proceeding from the concept of address algorithms, the usefulness
is ascertained of designing a general-purpose digital computer with multi-
rank addressing. The rank r is defined of the address function. The con-
cepts and notations were adopted from V.S. Korolyuk and K.L. Yushchenko
(Ref. 1: Pytannya teorii i praktyki prohramuvannya, Zbirnyk prats' z ob-
chyslyuval'noyi matematyky i tekhniky, v. 1, Vyd-vo AS UkrRSR, 1961).
The address programs of ref. 1 are analyzed. This analysis shows that the
ordinary algorithmic operations (+, -, x, etc.) are not only used for
first-rank addresses (as in the case of the computers "Strila", "SHELM",
etc.), but also for addresses of other ranks. Hence address programs

Card 1/2

S/696/61/002/000/004/009
D299/D302

Address algorithms and ...

could be most conveniently performed by means of a digital computer, in which any of the elementary operation can be performed on addresses of various rank, and not only on addresses of first rank. Such computers are called "multi-rank addressing computers". It is noted that any address program can be reduced to a program which contains functions of first- and second rank only. Thus, the address programs can best be performed on a computer with two-rank addressing. In this connection, several particular operations are considered, planned for the computer "Kyiv". The operation \oplus is a group operation for a second-rank address; the encoding of operations on higher-rank addresses, reduces to repeated application of the operation \oplus . The operations SGO and EGO (considered in the preceding article), are group operations on first-rank addresses. There are 2 Soviet-bloc references.

Card 2/2

35207

S/896/61/002/000/005/009
D299/D302

9.7100

AUTHORS:

Ivanenko, I.M. and Yushchenko, N.D.

TITLE:

Basic principles of the programming instruction for the computer "Kyyiv"

SOURCE:

Akademiya nauk Ukrayins'koyi RSR. Obchyslyval'nyy tsentr. Zbirnyk prats' z obchyslyval'noyi matematyky i tekhniky, v. 2, 1961, 26-28

TEXT: In developing the basic principles of the programming instructions for the PP-2 (PP-2) "Kyyiv", the authors assumed that the following 2 information problems have to be solved: 1) to reduce to a minimum the number of classes of information required, and 2) to encode the abstract words in such a way that the computer should be able to analyze the input information in the shortest possible way. In meeting these requirements, it was possible to develop the PP-2 program, containing only a few hundred instructions. This compares very favorably with the first programming instructions for the computers SHELM and "Strila" which have certain

Card 1/3

S/696/61/002/000/005/009
D299/D302

Basic principles of the ...

shortcomings. In developing general-purpose programming instructions, the authors (of the present article) were mainly concerned with convenient programming of computational problems involving the wide use of group operations. This does not exclude the programming of complex logical problems. In the PP-2 program, Lukasiewicz's calculus is used (for the first time in the USSR) for writing the formulas of algebraical transformations; thereby the parentheses are excluded which greatly simplify the programming algorithm. In addition, the authors standardized the principal methods of programming (construction of cyclical processes and schemes for the analysis of information). With regard to encoding, the authors adopted the principle of integration and standardization (as in industrial automation processes). By empirical methods, the information was encoded in such a way that the analytical units of the PP-2 program have almost the same number of instructions as the synthetical units. Only 2 operators (of analysis and of synthesis) were used. The formal language in which the input information is written, constitutes a linear record of sentences. The input information is encoded and inserted into

Card 2/3

Basic principles of the ...

S/696/61/002/000/005/009
D299/D302

the computer in the form of instruction-sentences, partially written in conventional addresses. This method leads to greater simplification. Provisions are made for writing the PP-2 program in the form of a set of subroutines which are programmed one after another at their actual places and automatically recorded on drums. The operation of PP-2 is automatically doubled. If all the results repeat themselves, they are printed. There are 4 Soviet-bloc references.

X

Card 3/3

35208

S/696/61/002/000/006/009
D299/D302

9.7100

9.7140 (1147, 1164)

AUTHORS:

Yushchenko, K.L. and Dryuchyna, M.O.

TITLE:

Subroutine library of the computer "Kyyiv"

SOURCE:

Akademiya nauk Ukrayins'koyi RSR. Obchyslyuval'nyy tsentr.
Zbirnyk prats' z obchyslyuval'noyi matematyky i tekhniky,
v. 2, 1961, 29-32

TEXT: The subroutine library of the computer "Kyyiv" provides for a large choice of standard programs for computing scalar and vector functions. The existence of the library simplifies work on automation of programming, on controlling the introduction and checking of the various parts of the program; thereby the possibility of error in programming is reduced and much time is gained. For convenient use of the subroutines, the computer "Kyyiv" performs 2 special operations (conditional transition to the subroutine and reverse-register transition). The subroutine library contains a set of backing-store units. A particular feature is the presence of variable-access store units which can be inserted, according to need, X

Card 1/3

S/696/61/002/000/006/009
D299/D302

Subroutine library of the ...

in the backing store. This makes it possible to considerably extend the choice of standard subroutines. Part of the standard subroutines, such as $\sin x$, $\ln x$, $\arctg x$, e^x , are stored in the permanent-store units of the backing store. The variable-access store contains the general-purpose programming instructions, the linear-algebra subroutine, the floating-point subroutine etc.; it also contains programs for computing a certain function with different degrees of accuracy, different storage capacity and working time. This renders it possible to make full use of the computer in solving actual problems. In setting up the library of subroutines, extensive use was made of the algorithmic operations ϕ and GO on second-rank addresses; these operations (described in 2 of the preceding articles), make it possible to reduce to a minimum the characteristic input information (which, for a vector, is the number of its components). As an example, the program for multiplying 2 matrices A and B is considered. This example shows that the program can process input information, stored in any of the memory units, provided the address of the first cell of this unit is placed in the address ϕ_0 of the first element.

X

Card 2/3

Subroutine library of the ...

S/696/61/002/000/006/009
D299/D302

of the matrix A. It is not necessary to use a special memory unit of standard cells for performing the subroutine. There are 4 Soviet-bloc references.

X

Card 3/3

S/696/61/003/000/004/011
D251/D304

9,700
AUTHORS:

Yushchenko, E.L., and Bystrova, L.P.

TITLE:

A programming program for which an address algorithm serves as information

SOURCE:

Akademiya nauk Ukrayins'koyi RSR. Obchyslyuval'nyy tsentr. Zbirnyk prats' z obchyslyuval'noyi matematyky i tekhniky, v. 3, 1961, 30 - 41

TEXT: The authors discuss an algorithm for the transfer from an address program to the program of an actual computer, the particular case of the "Kyyiv" computer being described. A program for which an address algorithm serves as information is designated by ПП-А (PP-A), and a variant of this for the "Kyyiv" computer, described by L.N. Ivanenko and E.L. Yushchenko (Ref. 2; Zb. prats' Obchyslyuval'noho tsentra AN URSS, no. 4, 1960) is called the ПП-Б (PP-2). The information for this variant programming program is expressed in the form of 1) transformation formulae, 2) program entry formulae, 3) predicative formulae, 4) non-standard operators. Each

Card 1/2

VB

A programming program for which ...

S/696/61/003/000/004/011
D251/D304

of these is discussed in detail, a diagram being given for the division of the memory in the PP-A and in the operational program. The coding of individual operations is given in full. A programming algorithm is given, consisting of 1) leading algorithm block, 2) arithmetic block, 3) sub-programming block, 4) non-standard operator block, 5) memory address operator block, 6) shunting to sub-program, 7) true address appropriation block. Full programming details are given. There are 1 table and 3 Soviet-bloc references. ✓B

Card 2/2

S/696/61/003/000/008/011
D251/D304

AUTHORS: Yushchenko, K.I., and Kostyuchenko, O.I.

TITLE: An algorithm for translating bracketed expressions of formulae into Lukashevych non-bracketed expressions

SOURCE: Akademiya nauk Ukrayins'koyi RSR. Obchyslyuval'nyy tsentr. Zbirnyk prats' z obchyslyuval'noyi matematyky i tekhniky, no. 3, 1961, 84 - 89

TEXT: An example of a formula in bracketed and in Lukashevych forms is given, and the application of the latter form to two-positional algebraic logic is mentioned. A programming algorithm for translation of formulae is sought, the operations of mathematics and logic being converted into the operations "stroke" and "transfer to address". The complete program of the algorithm is given in address form. There are 2 Soviet-bloc references. ✓

Card 1/1

YUSHCHENKO, Ye.L. [Iushchenko, K.L.]; MIKHAYLOVA, Ye.I. [Mykhailova, O.I.]

Algorithms of the formal check of bracket and bracketless forms
of recording formulas with single and two-place operations.
Zbir. prats' z obchys. mat. i tekhn. 3:90-93 '61. (MIRA 15:2)
(Translating machines)
(Information theory)
(Electronic calculating machines)

GLUSHKOV, Viktor Mikhaylovich, akademik; ~~YUSHCHENKO, Yekaterina~~
~~Logvinovna~~, kand. fiz.-mat. nauk; KALUZHNIK, L.A., doktor
fiz.-mat. nauk, prof., rezensent; NEMCHUKOVA, O.A., red.
izd-va; SHAFETA, S.M., tekhn. red.

["Kiev" electronic computer] Vychislitel'naya mashina "Kiev";
matematischeskoe opisanie. Kiev, Gostekhizdat USSR, 1962.
183 p. (MIRA-16:6)

(Electronic computers)
(Programming (Electronic computers))

L1603

S/021/62/000/010/005/008
D251/D308

16,700

AUTHOR:

Yushchenko, K.I.

TITLE:

On the completeness of the means of 'address language'

PERIODICAL:

Akademiya nauk Ukrayins'koyi RSR. Dopovidi, no. 10,
1962, 1305 - 1307

TEXT: In order to establish the universality of an 'address language', it is sufficient to demonstrate the possibility of writing the algorithm of some Turing machine in it. The author considers the nature of the Turing machine, and shows that the address language is suitable for transferring as much of the initial information to the address reflection as is desired. For the description of an arbitrary Turing machine, the following address language means are shown to be sufficient: 1) address dispatch $a \Rightarrow b$; 2) absolute transition according to a formula which includes a second rank address $2a \circ b$; 3) second rank address dispatch; 4) addition operation of the form $a + \delta \Rightarrow a$. It is shown that information concerning not only an actual problem but the class of problems may be referred to the initial address reflection.

Card 1/2

On the completeness of the means ...

S/021/62/000/010/005/008
D251/D308

ASSOCIATION: Instytut kibernetiky AN URSSR (Institute of Cybernetics
of the AS UkrSSR)

PRESENTED: by V.M. Hlushkov, Academician

SUBMITTED: December 28, 1961

Card 2/2

ACCESSION NR AM4021971

BOOK EXPLOITATION

S/

Yushchenko, YEkaterina Logvinovna (Candidate of Physical and Mathematical Sciences)

Address programming (Adresnoye programmirovaniye), Kiev, Gostekhizdat USSR, 1963,
287 p. illus., biblio. 4,000 copies printed.

TOPIC TAGS: address programming, address language, automatic programming, electronic computer, library subprogramming, electronic computer URAL, economics cybernetics

PURPOSE AND COVERAGE: The book gives a universal algorithmic address language and a method of programming digital computers based on it. The address language is suitable for describing arithmetic and complex information-logic problems (programming programs, problems of economics cybernetics, or model recognition), for describing electronic digital computers as automatic machines with programmed control, and can serve as the basis for automatic programming. The method of address programming is not connected to the concrete features of the machines and can serve as a general method of programming digital computers. The book is intended for engineers and researchers in computer mathematics and computer technology and also for specialists of other branches; it can also be useful to students in the course on computers and programming.

Card 1/2

ACCESSION NR AM4021971

TABLE OF CONTENTS [abridged]:

Foreword - - 3
Ch. I. Address language - - 5
Ch. II. Electronic digital computers - - 52
Ch. III. Address programming - - 66
Ch. IV. Address programming and the method of library subprograms - - 120
Ch. V. Address language and the method of universal programming programs - - 141
Ch. VI. Coding programs for the URAL computer - - 194
Ch. VII. Examples and exercises - - 235
Bibliography - - 285

SUB CODE: CP

SUBMITTED: 17Sep63

NR REF SOV: 026

OTHER: 000

DATE ACQ: 05Mar64

Card 2/2

LYUBCHENKO, Georgiy Georgiyevich; SERGIYENKO, Ivan Vasil'yevich;
KOROLYUK, V.S., retsenzent; YUSHCHENKO, Ye.L., retsenzent;
IL'ICHEVSKIY, S.A., red.

[Computers and programming] Matematicheskie mashiny i programirovanie. Kiev, Izd-vo Kievskogo univ., 1963. 219 p.
(MIRA 17:7)

YUSHCHENKO, K.L., kand. fiz.-matem. nauk, otv. red.; RABINOVICH,
Z.L. [Rabinovich, Z.L.], kand. tekhn. nauk, otv. red.:
LABINOVA, N.M., red.; BEREZOVSKAYA, D.N. [Berezovs'ka, D.N.],
tekhn. red.

[Computer mathematics and technology] Obchysliuval'na mate-
matyka i tekhnika. Kyiv, Vyd-vo AN URSR, 1963. 128 p.
(MIRA 16:11)

1. Akademiya nauk URSR, Kiev. Instytut kibernetiky.
(Electronic computers)

ACCESSION NR: AT4019734

S/0000/63/000/000/0040/0044

AUTHOR: Yushchenko, K. L. (Yushchenko, Ye. L.)

TITLE: A new method for solving a linear programming problem

SOURCE: AN UkrRSR. Insty*tut kiberneti*ky*. Obchy*alyuval'na matematy*ka i tekhnika (Computer mathematics and engineering). Kiev, Vy*d-vo AN UkrRSR, 1963, 40-44

TOPIC TAGS: linear programming, "R-operation", non-linear programming

ABSTRACT: The author presents a new method for solving a linear programming problem, which is based on the application of one of the so-called "R-operations", suggested by V. L. Rvachev (Pro anality*chny*y opy*s deyaky*kh geometry*chny*kh obraziv - A geometric description of certain geometric figures). Linearity of inequalities is assumed only in order to simplify computation. In this manner the method can be applied while solving other problems of mathematical (non-linear) programming. Orig. art. has 14 equations.

ASSOCIATION: none

Card 1/81

YUSHCHENKO, Yekaterina Logvinovna; GRINCHENKO, Tamara Alekseyevna;

[Programming program with input address language for the Ural-1 computer; programmers manual] Programmiruiushchaia programma s vkhodnym adresnym iazykom dlia mashiny Ural-1; spravochnik programmista. Kiev, Naukova dumka, 1964. 105 p. (MIRA 17:5)

YUSHCHENKO, Ye.L., kand. fiz.-mat. nauk, otv. red.; MEL'NIK, T.S.,
red.

[Cybernetics and computer techniques] Kibernetika i tekhnika vychislenii. Kiev, Naukova dumka, 1964. 170 p.

(MIRA 17:12)

1. Akademiya nauk URSR, Kiev. Institut kibernetiki.